US005116360A

United States Patent [19]

Pinchuk et al.

[11] Patent Number:

5,116,360

[45] Date of Patent:

May 26, 1992

[75] Inventors: Leonard Pinchuk; John B. Martin, Jr., both of Miami; Bruce A. Weber,

Pembroke Pines, all of Fla.

[73] Assignee: Corvita Corporation, Miami, Fla.

[21] Appl. No.: 634,425

[22] Filed: Dec. 27, 1990

[56] References Cited

U.S. PATENT DOCUMENTS


Primary Examiner—David Isabella
Assistant Examiner—Debra S. Brittingham


Attorney, Agent, or Firm—Lockwood, Alex, FitzGibbon & Cummings


[57] ABSTRACT

A mesh composite graft including an inner component. an outer component formed from strands of durable material, such as polyethylene terephthalate, and an intermediate component made from strands of bicompatible synthetic material having a melting point less than that of the durable material from which the outer component is formed and less than that of the biocompatible synthetic material from which the inner component of the graft is formed. By heating the graft to a temperature grater than the melting point of the material from which the intermediate component is formed but less than the melting point of the outer component material and less than the melting point of the material from which the inner component is formed, the components are bound by the melted intermediate component to provide a totally porous, compliant composite graft reinforced by the outer component.

19 Claims, 1 Drawing Sheet







MESH COMPOSITE GRAFT

BACKGROUND AND DESCRIPTION OF THE INVENTION

The present invention generally relates to implantable prostheses and the like and to methods for making same. More particularly, the invention relates to a graft, such as a vascular graft or AV-shunt, having a compliant porous inner component and a compliant porous load-bearing outer component, bound together by a porous intermediate component that is made of material having a melting point lower than that of the materials from which the inner and outer components are made. With the outer component bound by the intermediate component to the inner component, a porous, yet strengthened integral graft results.

Blood vessels are not straight, rigid tubes but elastic conduits made of a variety of materials and having a 20 compliance that varies with functional considerations. For example, the venous system functions, in part, as the blood reservoir for the body. In order to be able to respond to a larger volume of blood sent into the system because of, for example, a change in arterial blood pressure, the vessels of the venous system must be sufficiently compliant so that they can distend. The arterial system functions as the body's pressure reservoir. In order to avoid the wide swings in the blood pressure relaxation of the heart, yet be able to maintain sufficient blood pressure so that blood can be pushed into all regions of the body, including through the small-diameter arterioles and the microcirculatory bed, the arteries must have sufficient compliant strength to elastically 35 expand and recoil without the marked distension of the venous system.

Conventional grafts, however, are generally made of materials and in shapes that provide a structure whose compliance is markedly different from that of the walls, 40 of the vessel to which they may be attached. Grafts having walls less compliant than that of the host vessel walls are problematic in that conditions, such as intimal hyperplasia and stenotic narrowing, may develop. of the vessel to which the graft is attached are problematic in that a portion of the graft wall may balloon-that is, develop an aneurysm-after implantation.

Other known grafts, while they may be compliant, may not necessarily be made from biocompatible mate- 50 rials. The implantation of a graft made from such material may prompt a thrombogenic or immunological response with the resultant deleterious formation of microthrombi or microocclusions in and around the graft. Other grafts are made from generally non-porous 55 materials, that, accordingly, do not facilitate the ingrowth of cells and tissue within the graft. The full incorporation of the graft into the surrounding host tissue is thereby frustrated. Still other conventional grafts are made from microporous textiles that require 60 made of strands, fibers, beads or expanded versions of a preclotting of the vessel wall with blood to prevent leakage of blood at implantation.

A demand therefore is present for an integral graft made from biocompatible materials and having a structure that has compliant strength similar to that of natu- 65 ral tissue but that is sufficiently porous so that the graft may become incorporated into the host tissue yet not leak blood. The present invention satisfies the demand.

The present invention includes a three component system, an inner component, an intermediate component, and an outer component. While the components may be made from materials having generally different melting points and different mechanical properties, at a minimum the inner component and outer component are made from a material or materials having a melting temperature higher than the material from which the intermediate component is made. More specifically, the inner component is porous and is made from a biocompatible synthetic material, preferably a polyurethane composition made with an aromatic polycarbonate intermediate, having a melting point that is, at a minimum, in excess of the melting point of the composition from which the intermediate component is formed (further discussed below).

There are many methods by which the inner component may be made, such as the many known methods used to produce porous compliant vascular prostheses. One such method is termed phase inversion or separation which involves dissolving a urethane in a solvent. such as dimethyl acetamide (DMA), forming a coat on a mandrel-such as by dipping the mandrel into the dissolved urethane-and then immersing the urethane 25 coating in a solution such as water by which DMA may be dissolved, but not urethane, thereby causing the urethane to bead-up and form a porous matrix.

Another method by which the inner component may be formed is termed particle elution. The method utiand flow that are possible with every contraction and 30 lizes water soluble particles such as salt (NaCl, MgCl2, CaCo2, etc.) polymers, such as polyvinylpyrrolidone, sugars etc. The particles are mixed or blended into a urethane composition, and after forming a graft from the mixture such as by dip coating or extruding the particle filled plastic, the particle is eluted out with a suitable solvent.

Additional methods include replamineform, that involves the dissolution of a matrix, such as that of a sea urchin, out of the urethane with hydrochloric acid, spray techniques where filaments or beads of urethane are sprayed onto a mandrel to produce a porous vascular graft, and electrostatic deposition of urethane fibers from solution.

However, the porous vascular graft preferred in this Grafts with walls having greater compliance than that 45 invention is prepared according to the method detailed in U.S. Pat. No. 4,475,972 to Wong. This patent is incorporated hereinto by reference. An antioxidant may be added to further prevent degradation of the fibers drawn of the material from which the inner component

> Regardless of the nature and method of manufacturing the porous inner component, the intermediate component is comprised of one or more layers of a biocompatible synthetic material, preferably a polyurethane material, having a melting point lower than the melting point of the material from which the inner component is formed and lower than the melting point of the material from which the outer component is made.

> The outer component comprises a mesh network durable material such as a composition of fluorocarbons, such as expanded polytetrafluoroethylene ("ePT-FE")—commonly termed Teffon—or stable polyesters, such as preferably polyethylene terephthalate ("PET"-')—commonly termed Dacron. This material is preferably warp-knitted in a tricot or double tricot pattern and shaped in a tubular configuration. It can also be appreciated that the outer component can be woven, braided.

west-knitted and the like with loose fibers, textured fibers and the like to provide increased compliance. With the three components in place, a composite graft according to the present invention is formed by heating the structure to a temperature at or above the melting 5 point of the material from which the intermediate component is formed but below the melting temperature or temperatures of the material from which the outer component is formed and of the material from which the inner component is formed. In this temperature range, 10 nent. Methods for cutting the composite graft include the intermediate component may melt without the melting of either the inner component and the outer component, thereby mechanically bonding the inner component to the outer component.

The multi-component system of the present invention 15 provides a number of advantages over conventional grafts. The use of a durable material, such as PET or ePTFE, from which the outer component may be formed is advantageous because of the known strength that such material has in the body. Devices made from 20 PET or ePTFE when implanted in the body are known to maintain their integrity for some three decades. Further advantageously, it has been found that a graftmade according to the present invention and in which PET is used to form the outer component —has a burst 25 strength and a tensile strength that is some two times greater than that of a conventional graft. Such strength prevents the dilation of the vessel in response to, for example, an increase in blood flow and/or pressure, creep relaxation of the urethane, biodegradation of the 30 urethane, plasticization of the urethane, etc. Decreases in the strength of PET that may occur after implantation due, for example, to the absorption of water after implantation, are minimal as Dacron has a low water absorption ability.

The use of a knitted pattern according to which the durable strands of the outer component may be configured is advantageous due to the increased compliance such a pattern provides. As stated above, a durable material such as PET is recognized as a strong yet not 40 necessarily compliant material. However, by knitting the strands from which the outer component is formed into a network, a compliant reinforcing outer component is formed. The use of such a material from which system of the present invention advantageously provides a strengthened, yet compliant graft.

The winding of strands of synthetic material, such as polyurethane over a mandrel to form an inner component is further advantageous because of the resultant 50 porosity of the component. While the intermediate component may be made porous, for example, by painting synthetic material over the inner component and utilizing the phase inversion method or the particle elution method to form a porous matrix, preferably the 55 intermediate component is formed by winding strands of synthetic material, such as polyurethane over the inner component, to provide a highly porous network. Utilizing strands of PET configured in a knitted pattern to form the outer reinforcement component further 60 provides a porous network. Advantageously, by combining these individually porous components together in a composite graft, a totally porous integral graft results. Porosity is an advantage in medical devices, such as vascular grafts, because an open structure al- 65 lows vascular fluid to infiltrate and communicate to and from the surrounding tissue and the interior of the graft and allows the ingrowth of tissue to occur within the

graft. Accordingly, the device becomes better incorporated into the surrounding tissue, thereby further securing the device within the implantation site.

Uniting the three components into a single composite graft advantageously facilitates the use of the device. The graft may be implanted without the need for any assembly immediately prior to use. The graft may be also cut and/or sutured as a unit without the need for the separate cutting and/or suturing of each composcalpel, scissors, hot wires, shaped blades, and the like. The speed with which the graft may be implanted is a particularly distinct advantage since the device is implanted only when a patient is undergoing surgery.

The use of a polycarbonate intermediate rather than, for example, a polyether urethane to make the polyurethane material from which the inner component is preferably made is advantageous as the resultant inner component better resists degradation. The resistance to degradation is further aided by the addition of antioxidant to the material from which the inner component is formed.

It is, accordingly, a general object of the present invention to provide an improved graft.

Another object of the present invention is to provide an integral improved graft made from a composite of layers of synthetic materials.

It is also an object of the present invention to provide graft that is totally porous thereby facilitating the incorporation of the graft into the site of implantation.

An additional object of the present invention is to provide an improved graft having an outer component which strengthens the device without significantly impairing the overall compliance of the graft.

These and other objects, features and advantages of this invention will be clearly understood and explained with reference to the accompanying drawings and through a consideration of the following detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

In the course of this description, reference will be made to the attached drawings, wherein:

FIG. 1 is a perspective view illustrating an embodito form the outer component in the three component 45 ment of a composite vascular graft according to the present invention with an outer component of knitted durable material positioned over and bound by an intermediate component to an inner component; and

FIG. 2 is a cross sectional view of the composite vascular graft according to the present invention illustrated in FIG. 1.

DESCRIPTION OF THE PARTICULAR **EMBODIMENTS**

The present invention is a composite vascular graft--generally designated as 21 in FIGS. 1 and 2-comprised of an inner component 31, an intermediate component 41, and an outer component 61. The inner component will be described first.

Inner component 31 is fabricated from a biocompatible synthetic material, preferably polyurethane, having a melting temperature that is, at a minimum, greater than the melting temperature of the material from which the intermediate component is formed. Preferably, in those embodiments in which the inner component 31 is formed from polyurethane, it is made with an aromatic polycarbonate urethane. Polycarbonate urethanes are preferred over polyether urethanes due to their superior biostability. The aromatic polycarbonate urethanes have melting points in the range of 150° C. to 230° C. This is in contrast to some aliphatic polycarbonate urethanes that have melting points between 90° C. and 130° C. It can also be appreciated that the inner member may be composed of non-urethane materials such as silicone rubber, polyolefins, fluoroelastomers, ePTFE, and the like. An antioxidant, such as Irganox 1010, may be added to the inner member to further prevent degradation of the strands from which the inner component is formed. The melting temperature of the material from which the inner component is preferably formed exceeds 150° C.

The methods by which the inner component 31 may be fabricated include those disclosed in U.S. Pat. No. 15 4,475,972 to Wong. According to a fabrication method taught in the Wong patent, termed "solution processing", the inner component material is dissolved in a solvent and forced out of one or more orifices to form one or more continuous fibers. The fibers are drawn directly onto a rotating mandrel. As the distributor or spinnerette reciprocates along the mandrel, non-woven strands are layered on top of each other to form porous, non-woven network of criss-crossing strands.

The intermediate layer 41 is formed of a biocompatible synthetic material, such as a polyolefin, a silicone thermoplastic material, etc., or preferably a polyurethane material having a melting temperature less than that of the materials from which the inner and outer components are formed. The intermediate layer can be drawn in the manner described in the Wong patent so that at least one fibrous layer is laid over the inner component 31 to form a porous intermediate layer. This intermediate layer can be spun from solution as de- 35 scribed in the Wong patent or can be simply wound onto the inner layer from a spool of the biocompatible low melting point material. Alternatively, phase inversion or particle elution methods may be used to form a porous intermediate component. Examples of suitable 40 low melting point biocompatible materials include the aliphatic polycarbonate or polyether urethanes with melting points of 90° C. to 130° C. The resultant porous, non-woven network of strands forming the intermediate component 41, as drawn over the inner component 45 31 form a unit 51 which facilitates the transmission of fluid.

Mesh 61, composed of strands of durable material, such as PET or ePFTE, knitted or woven in a generally elongated cylindrical shape and whose inner sur- 50 face 63 is of a diameter equal to or slightly larger than the diameter of the outer surface 45 of the intermediate component 41, is fitted over the intermediate component 41. To provide compliance to the mesh network of strands from which the outer component is formed, the 55 strands are configured preferably in a knitted pattern. Tricot or double tricot warp knit patterns are preferred. Double tricot patterns are further advantageous because they provide greater depth to the outer component 61 and thereby facilitate the acceptance of and 60 retention of sutures and tissue ingrowth through the graft 21. Tricot or double tricot warp patterns are further advantageous in that they are generally more interlocking than other patterns and therefore resist "running". Other acceptable patterns according to which 65 the strands of the outer component 61 may be formed include jersey or double jersey patterns, woven or braided and multiple layers of the above. Also, the

fibers comprising the outer structure may be textured or non-textured and be of a variety of deniers.

The outer component 61 as positioned over the inner component and intermediate component is heated to a temperature equal to or greater than the temperature at which the material from which the intermediate component 41 is formed melts but less than the temperature and/or temperatures at which the material or materials from which the outer component and from which the inner component 31 is formed melts. When the inner component 31 is formed from the preferred material described above, the components are heated to a temperature less than 150° C, but greater than the temperature at which the material from which the intermediate component 41 is formed melts, such as 110° C. By maintaining the three components at such a temperature for a period of time, such as ten minutes, the intermediate component melts thereby securing the outer component 61 and the inner component 31 to each other. To further ensure the secure full engagement of the outer component 61 by the melted intermediate component 41, the outer component 61 may be forcefully pressed into the intermediate component 41 during the heating step such as mechanically and/or with or under pressure. After heating, the united three components are cooled thereby providing an integral mesh composite graft 21.

A mesh composite graft 21 according to the present invention is totally porous and compliant, yet advantageously includes a load bearing component, the outer component 61, which adds strength to the graft and prevents the failure of the graft even in response to greater fluid volume pressures from within, creep relaxation of the inner member and possible biodegradation effects of the inner member.

The advantageous compliance of the composite graft may be adjusted by varying the number of strands from which the inner component and the intermediate component 41 are formed. The compliance of the composite graft 21 may be adjusted also by varying the materials from which the inner component 31 and the intermediate component 41 are formed while maintaining the relationship that the intermediate component 41 must melt at a lower temperature than the materials from which the outer component and the material from which inner component 31 is formed. The compliance of the mesh composite graft 21 may be adjusted further by adjusting the angle at which the strands of the inner component 31 and/or the strands of the outer component 61 are laid down-a higher angle provides a less compliant component and thereby a less compliant graft.

The compliance may be adjusted even further by altering the knitting parameters, such as courses and wales per inch, the stitch density, the fiber denier, the number of strands per filament, the composition of the fibers and filaments such as a mixture of PET and Spandex compositions and whether the outer member is knitted, woven or braided.

The advantageous overall porosity of the graft 21 may be adjusted also in a number of ways. In addition to varying the size and number of the strands from which the inner component 31 and intermediate component 41 are formed, the strands of each component may be drawn at different angles to provide decreased pore size and resultant decreased porosity. Similarly, the porosity of the outer component 61, and thereby the porosity of the composite graft 21 may be varied by varying the

size and/or number of the strands and stitch density used to make the outer component mesh.

It can also be appreciated that the outer component need not be a tube formed specifically for this purpose from materials as above but can also be made from a 5 vascular graft preformed from a porous matrix material such as ePTFE. One such graft is manufactured by W. L. Gore and marketed as a Gore-Tex graft. The ePTFE graft may be sheathed over the previously described inner and intermediate components and heat fused into 10 a similar composite graft described in this document. Similarly, the inner members may be a Gore-Tex graft, the intermediate component, a heat fusable thermoplastic, and the outer component, a Dacron knit.

Regardless of the configuration of the inner, interme- 15 diate and outer components of the graft, i.e. be it spun. salt eluted, phase inverted, wound with an outer PET mesh, or in which an ePTFE configuration is utilized, the resultant composite graft 21 as formed may be implanted in vascular locations and retained in place 20 through conventional methods, such as suturing. The preferred use of PET, knitted in a preferred tricot or double tricot pattern, from which to make the outer component 61 of the graft 21 provides a graft having a greater thickness than grafts without such a load bear- 25 ing component. The outer component 61 facilitates the greater retention of the sutures within the graft.

It will be understood that the embodiments of the present invention as described are illustrative of some of the applications of the principles of the present inven- 30 tion. Modifications may be made by those skilled in the art without departure from the spirit and scope of the invention.

We claim:

- 1. A composite graft for implantation within a host, 35 comprising:
 - an inner component made from wound, criss-crossing layers of fibers of a first biocompatible synthetic material and shaped to form a porous generally elongated cylindrical shape having a lumen 40 through which blood may flow, said inner component having an outer surface;
 - an intermediate compliant bonding component made from wound, criss-crossing layers of fiber of a second biocompatible synthetic material, said second 45 material having a melting point lower than the melting point of said first material and lower than the melting point of polyethylene terephthalate, said intermediate component positioned generally over and substantially covering said outer surface 50 polyethylene terephthalate. of said inner component, said intermediate component being porous and having an outer surface;
 - said intermediate component as positioned over said outer surface of the inner component forming a fluid transmission unit:
 - an outer component made from a mesh formed from strands of matrices of durable material, said strands or matrices preformed in a generally elongated cylindrical shape having a lumen therethrough and a diameter which is approximately equal to the 60 nutside diameter of said intermediate component, said outer component is positioned over and substantially covering said outer surface of the intermediate component; wherein each said outer component and said inner component is bonded to said 65 expanded polytetrafluoroethylene. intermediate component when each of the compo-

- nents is heated to a temperature less than the melting temperature of said firs material and said durable material thereby securing said components to each other to form a totally porous mesh composition graft.
- 2. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from which said inner component is made is polyurethane
- 3. The mesh composite graft according to claim 2, wherein said polyurethane is made with a polycarbonate intermediate.
- 4. The mesh composite graft according to claim 2, wherein said polyurethane is made with an aromatic polycarbonate urethane.
- 5. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from which said inner component is made is silicone rubber.
- 6. The mesh composite graft according to claim 1. wherein said biocompatible synthetic material from which said inner component is made is a polyolefin.
- 7. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from which said inner component is made is a fluoroelasto-
- 8. The mesh composite graft according to claim 3. wherein said polyurethane includes an antioxidant to prevent degradation of said inner component.
- 9. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from which said intermediate component is made is polyure-
- 10. The mesh composite graft according to claim 9, wherein said polyurethane is an aliphatic polycarbon-
- 11. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from which said intermediate component is made is a polyoleiin.
- 12. The mesh composite graft according to claim 1, wherein said biocompatible synthetic material from, which said intermediate component is made is a silicon thermoplastic material.
- 13. The mesh composite graft according to claim 1, wherein said outer component is further secured to said fluid transmission unit by pressing said outer component into said intermediate component during heating
- 14. The mesh composite graft according to claim 1, wherein said mesh is formed by knitting said strands of
- 15. The mesh composite graft according to claim 1, wherein said mesh is formed by knitting said strands of polyethylene terephthalate in a tricot pattern.
- 16. The mesh composite graft according to claim 1, wherein said mesh is formed by knitting said strands of polyethylene terephthalate in a double tricot pattern.
- 17. The mesh composite graft according to claim 2, wherein said mesh is formed from strands of expanded polytetrafluoroethylene.
- 18. The mesh composite graft according to claim 2, wherein said mesh is preformed from strands of polytetrafluoroethylene.
- 19. The mesh composite graft according to claim 2, wherein said mesh is a preformed porous matrix of

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

1

Alastair W. Hunter, et al.

Serial No.:

838,511 ~

Art Unit: 1504

Filed

February 19, 1992

Examiner: C. Raimund

For

STERILIZED HETEROGENEÓUS BRAIDS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231 on

December 2, 1992 (Date of Deposit) Natthew S. Goodwin

Name of applicant, assignee, or Registered Representative

(Signature)

-828 4 () 1952 ⊜¤⊖ವ⊬ 1500

December 2, 1992 (Date of Signature)

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

AMENDHENT

Dear Sir:

Please reconsider the above-identified application in view of These remarks are subdivided into a the following remarks. discussion of the claimed invention, and an analysis of the rejection, to facilitate an understanding of the significant differences between the cited art and the claimed invention.

Discussion of the Invention

A proper understanding of the invention is critical for appreciating the dissimilarities between the invention and the teachings of the cited references.

In a broad sense, the invention is a braided suture which contains dissimilar filaments of first and second fiber-forming materials. However, the proper characterization of the claimed suture goes far beyond this simple description.

The braided suture is made up of <u>multifilament yarns</u>. A multifilament yarn is a <u>bundle</u> of individual filaments which are integrated to form a single unit, that is, an individual multifilament yarn. The braided suture has a first and second set of these multifilament yarns in a braided construction. Each of the filaments of the first set of yarns is composed of a first fiberforming material. Similarly, each of the filaments of the second set of yarns is composed of a second fiber-forming material.

The importance of the construction of the first and second set of yarns cannot be diminished. The braided construction is not accurately characterized by simply referring to a suture with filaments of dissimilar fiber-forming materials in a braided construction. Rather, filaments of a first fiber-forming material must be <u>bundled</u> to prepare a first set of multifilament yarns, and filaments of the second fiber-forming material must also be bundled to prepared the second set of multifilament yarns.

Once an understanding of the composition and construction of each set of first and second yarns is achieved, the importance of a further characterization of the braid construction can now be understood and appreciated. One yarn from the first set of yarns is in direct intertwining contact with a yarn from the second set of yarns. This limitation does not simply mean that the dissimilar filaments are fabricated into a braided construction, that is, dissimilar filaments are in "intertwining contact". Rather it is a multifilament yarn which is in direct intertwining contact with another multifilament yarn. Again, it is important to emphasize here that the multifilament yarns are integrated bundles of individual filaments, and it is this integrated bundle of filaments of a first fiber-forming material which is in direct intertwining

contact with another integrated bundle of individual filaments of a second fiber-forming material.

One way to accurately characterize the braided suture of this invention is to refer to it as a <u>structured</u> mechanical blend of dissimilar fiber-forming materials. The fiber-forming materials are first arranged into integrated bundles to form multifilament yarns and then these multifilaments yarns are further arranged so that at least one yarn from the first set of yarns directly intertwines with a multifilament yarn from the second set of yarns. This can be contrasted with a <u>random</u>, braided construction where filaments of dissimilar fiber-forming materials are randomly braided with one another to form a braided suture.

The heterogeneous braids of this invention exhibit truly outstanding and surprising properties. The integrity of the braid and therefore its properties is due entirely to the mechanical interlocking or weaving of the individual multifilament yarns (see the specification at page 4, lines 30-33). In the preferred embodiment, each yarn from the first set of multifilament yarns is in direct intertwining contact with a yarn of the second set to achieve the maximum degree of mechanical blending of the dissimilar multifilament yarns (see the specification at page 6, lines 28-31, and claim 15). In this way, yarn compatibility can be further enhanced and the overall physical and biological properties of the heterogeneous braid can be further improved as well.

What is truly surprising with respect to the claimed heterogeneous braid construction is that certain bulk properties of the claimed braid are better than what one skilled in the art would expect. A skilled artisan would expect the properties of the braid to simply follow the "Rule of Mixtures", where the bulk property

measured would be estimated to be a weighted average of its component properties. Upon studying the Examples in the specification, it will be noted that the bending rigidity of the heterogeneous braids in Examples 1 and 2 do not follow the Rule of Mixtures, but surprisingly show an enhanced bending rigidity relative to the weighted average of their filament components. This behavior is not achieved when dissimilar individual filaments are randomly braided to form the braided suture.

In setting forth the claimed invention, the heterogeneous braid does not encompass braided sutures with randomly braided individual filaments, as described in detail above. Further, the claimed heterogeneous braid could not be construed to cover known braids which have a core of longitudinally extending yarns composed of filaments of a first fiber-forming material, and a sheath of braided yarns composed of a second set of filaments of a dissimilar fiber-forming material. This braid construction does not fall within the scope of the claimed braid because these sheath yarns are not in direct intertwining contact with any of the core yarns. In other words, none of the sheath yarns are braided about a core yarn, but simply shroud the core yarns to form the sheath construction.

Analysis of the Rejection

1. Claims 21 and 23 were rejected under 35 USC §102(b) as being clearly anticipated by Doddi et al. ("Doddi"). Doddi does not anticipate the claimed suture, and therefore this rejection should be withdrawn.

The Examiner has correctly pointed out that Doddi does indeed disclose a surgical suture comprising filaments of two different polymers in a braided configuration (column 9, lines 47-56).

However, as discussed in detail above, more is required to meet the limitations of the claimed suture than just a disclosure concerning filaments of two different polymers in a braided configuration. Doddi teaches nothing more than braiding individual filaments, and fails to provide any guidance as to how that braiding should be carried out. Therefore, one skilled in the art would be lead to believe that what Doddi had in mind was to simply braid individual filaments in a randomized fashion to fabricate a multifilament suture. It is important enough, however, to reemphasize again that the claimed braid requires the bundling of individual filaments into an integrated unit to form a multifilament yarn. It is this multifilament yarn which directly intertwines with another multifilament yarn to form Applicants' braid construction.

Since Doddi only teaches randomly braiding filaments of dissimilar fiber-forming materials, it does not anticipate the claimed braided suture. Doddi simply fails to enable one skilled in the art to construct a braided suture in the manner set forth by Applicants, and it is axiomatic that a reference which lacks enablement is deficient as a reference to anticipate a claimed invention. Accordingly, it is respectfully requested that the rejection of claims 21 and 23 under 35 USC §102(b) as being clearly anticipated by Doddi be withdrawn.

2. Claims 22 and 24 were rejected under 35 USC §103 as being unpatentable over Kaplan et al. ("Kaplan") taken with Doddi. The Examiner asserts it would have been obvious to substitute PET and PTFE fibers of Doddi for the filaments of Kaplan to arrive at Applicants' claimed suture. Applicants respectfully traverse this rejection for the reasons given below.

The Examiner correctly points out that Kaplan discloses a ligament prosthesis made from a core component and a braided sheath component as illustrated in Figures 3 and 4, and discussed at column 8, line 65, through column 9, line 34. However, Kaplan suffers from the same deficiencies as does Doddi, and therefore fails to teach or suggest the claimed braided suture.

Firstly, the Examiner has made specific reference to the Kaplan specification regarding the makeup of the core components and the sheath yarn component. The only component which has a braided construction is the sheath yarn component. It is clear from Figure 3 of Kaplan that none of the sheath yarn components are in direct intertwining contact with the core component. In other words, the sheath yarn component is a true "sheath" which shrouds the core but is not in any way integrally braided with the core. Therefore, since the core is not in a braided construction, its composition is irrelevant with respect to the claimed braided suture.

When the focus is shifted to the more relevant aspect of the Kaplan disclosure, specifically the sheath yarn component, the Examiner has correctly pointed out that the sheath yarn component may be "fabricated from individual filaments having more than two different chemical compositions, one or more of which optionally being non-absorbable". (Column 9, lines 25-28). However, Kaplan neither teaches nor suggests how his sheath yarn component is to be fabricated from these dissimilar individual filaments, nor is there any guidance to one skilled in the art as to how such dissimilar individual filaments are to be braided. Accordingly, just as was the case with the deficient Doddi reference, one skilled in the art could only be lead to randomly braid the dissimilar individual filaments into a braid construction.

The teaching of Kaplan once again lacks the <u>essence</u> of the claimed invention, which is: bundled filaments of a first fiber-forming material form a first set of a multifilament yarns, and at least one of these multifilament yarns is intertwined with a multifilament yarn composed of bundled filaments of a second fiber-forming material. To put it bluntly, Kaplan teaches <u>randomized</u> braiding, and the claimed suture sets forth a structured braid. This difference is not trivial, as pointed out with reference to the discussion of Applicant's specification, and particularly Examples 1 and 2.

It should also be pointed out here that even if Doddi and Kaplan were combined, their combined teachings would still fail to meet the limitations of the claimed braided suture. This is so because neither reference, taken singularly or in combination, discloses a <u>structured</u> braid set forth in the claims, but merely sets forth randomized braiding of individual filaments.

For all of the reasons given above, especially taken in light of the detailed discussion of the claimed braided suture and its surprising advantages, the rejection of claims 22 and 24 under 35 USC §103 as being unpatentable over Kaplan taken with Doddi is improper. Accordingly, it is respectfully requested that this rejection be withdrawn.

3. Applicants acknowledge with gratitude the withdrawal of the rejection of claims 21-24 under 35 USC §103 as being unpatentable over Burgess, expressed in the previous Office Action dated July 8, 1992. (Paper No. 3). It is presumed that Applicants' response to this rejection in their Amendment dated August 6, 1992, spelling out the distinctions between Burgess and the claimed

invention, clearly convinced the Examiner that the claimed surgical suture is patentable over this art.

- 4. The prior art made of record and not relied upon by the Examiner is duly noted, and does not affect the patentability of Applicants' claimed invention.
- 5. Since all formal requirements appear to have been met, and the claimed invention is patentable over the art of record or any other art of which Applicants are aware, Applicants respectfully solicit a Notice of Allowance at the Examiner's earliest convenience.

Respectfully submitted,

Matthew S. Goodwin Attorney for Applicant Reg. No. 32,839

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2794 December 2, 1992

Case Docket No.: ETH-782

Alastair W. Hunter et al. ion of In re applicat

Serial No

ary 19, 1992

Filed For

LIZED HETEROGENEOUS BRAIDS

Washington, D.C. 20231

THE COMMISSIONER OF PATENTS AND TRADEMARKS

GRUUP 1500

DEC 1 0 1992

å

sir:

Transmitted herewith is an amendment in the above-identified application.

- [] No additional fee is enclosed because this application was filed prior to October 25, 1965 (effective date of Public Law 89-83).
- [X] No additional fee is required.
- [X] One stamped, self-addressed postcard for the PTO Mail Room date stamp.
- Petition For Extension of Time and charge to Deposit Account of Appropriate Fee.

The fee has been calculated as shown below.

CLAIMS AS AMENDED

			CLAIMS AS AMER	TOLD		<u> </u>
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	* 24	minus	**	= 0	x \$22	= \$ 000.00
INDEP.	* 1	sinus	***	= 0	x \$74	= \$ 000.00
			TOTAL A	DDITIONAL S AMENDMEN	FEE IT	\$ 000.00

- If the entry in Col.2 is less than the entry in Col.4, write "0" in Col.5 If the "Mighest Number Praviously Paid for" IN THIS SPACE is less than 20, write "20" in this space. If the "Highest Number Praviously Paid for" IN THIS SPACE is less than 3, write "3" in this space.
- [X] Charge \$ 000.00 to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.
- [X] Please charge any additional fees in connection with the filing of this communication, or credit overpayment, to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.

[] A check in the amount of \$ _

is attached.

Attorney of Record Reg. No. 32,019

Matthew S. Goodwin Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, New Jersey 08933-7003 (908) 524-2791 December 2, 1992

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS

DMI000243

In repBPation of Alastair W. Hunter et al.

Serial NEC 1838,511

Fill 1992 February 19, 1992

For STERILIZED HETEROGENEOUS BRAIDS DEC 10 1992

THE COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

sir:

Transmitted herewith is an amendment in the above-identified application.

- [] No additional fee is enclosed because this application was filed prior to October 25, 1965 (effective date of Public Law 89-83).
- [X] No additional fee is required.
- [X] One stamped, self-addressed postcard for the PTO Mail Room date stamp.
- [] Petition For Extension of Time and charge to Deposit Account of Appropriate Fee.

The fee has been calculated as shown below.

CLAIMS AS AMENDED (7)(5) (6)(3) (4)(2) (1) CLAIMS HIGHEST NO. REMAINING ADDITIONAL PRESENT PREVIOUSLY AFTER FEE RATE PAID FOR **EXTRA** AMENDMENT ** TOTAL minus = \$ 000.00 x \$22 0 24 24 CLAIMS *** INDEP. ninue x \$74 = \$ 000.00 n 3 CLAIMS TOTAL ADDITIONAL FEE \$ 000.00 FOR THIS AMENDMENT

- A If the entry in Col.2 is less than the entry in Col.4, write "O" in Col.5

 as If the "Righest Number Previously Paid For" IN TRIS SPACE is less than 20, write "20" in this space.

 440 If the "Righest Number Previously Paid For" IN TRIS SPACE is less than 3, write "3" in this space.
- [X] Charge \$ 000.00 to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.
- [X] Please charge any additional fees in connection with the filing of this communication, or credit overpayment, to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.

F	1	Α	check	in	the	amount	of	\$ 	is	attached.
•	•									1
										orney of Record J. No. 32,019

Matthew S. Goodwin Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, New Jersey 08933-7003 (900) 524-2791 December 2, 1992

Alastair W. Hunter et al. In re application of

838,511

February 19, 1992

STERILIZED HETEROGENEOUS BRAIDS

THE COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

With the

DEC 1 0 1992 GP7 3/1500

For

Transmitted herewith is an amendment in the above-identified application.

- No additional fee is enclosed because this application was filed prior to October 25, 1965 (effective date of Public Law 89-83).
- [X] No additional fee is required.
- [X] One stamped, self-addressed postcard for the PTO Mail Room date stamp.
- [] Petition For Extension of Time and charge to Deposit Account of Appropriate Fee.

The fee has been calculated as shown below.

CLAIMS AS AMENDED

(1)	(2)	(3)	(4)	(5)	(6)	(7)
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	* 24	minus	** 24	= 0	x \$22	= \$ 000.00
INDEP.	* 1	ninus	***	= 0	x \$74	= \$ 000.00
				DDITIONAL S AMENDMEN		\$ 000.00

- If the entry in Col.2 is less than the entry in Col.4, write "0" in Col.5
 If the "Highest Number Previously Paid For" IN TRIS SPACE is less than 20, write "20" in this space.
 If the "Highest Number Previously Paid For" IN TRIS SPACE is less than 3, write "3" in this space.
- [X] Charge \$ 000.00 to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.
- [X] Please charge any additional fees in connection with the filing of this communication, or credit overpayment, to Deposit Account No. 10-750/ETH-782/MSG. Three copies of this sheet are enclosed.

ſ	1	Α	check	in	the	amount	of	\$ 	is	attached
l l	- 1	~								

,	• •	
	Attorney	of Record
	Req. No.	32,019

Matthew S. Goodwin Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, New Jersey 08933-7003 (908) 524-2791 December 2, 1992



1 - 20

8. Formal drawings are required in response to this Office action.

9. The corrected or substitute drawings have been received on ____

been filed in parent application, serial no. _____

10. The proposed additional or substitute sheet(s) of drawings, filed on _____ examiner. disapproved by the examiner (see explanation).

accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.

106-62 Filed 04/06/2007 Page 18 UNITED STATES DEPARTMENT OF COMMERCE Page 18 of 56

Patent and Trademark Office

are pending in the application.

____ are subject to restriction or election requirement.

____ has (have) been _ approved by the

SERIAL NUMBER	FILING DATE	FIRST N	AMED INVENTOR		ATTORNEY DOCKET NO
7/838.511	02/19/92	HUNTER		A	ETH-782
// (EXAMINER
			15N1	RATMUMD.	7
OBERT L. MI	NIER	DI A7A		ART UNI	PAPER NUMBER
ME JOHNSON TOHNSON		3-7003		1504	
					03/18/93
is a communication from t MMISSIONER OF PATENT	he examiner in charge o 'S AND TRADEMARKS	if your application.		DATE MAILED:	
IMISSIONER OF PATENT	'S AND TRADEMARKS		junication filed on De		This action is made final.
MMISSIONER OF PATENT his application has bee	n examined		3mon	s. 2, 1992	☐ This action is made final. days from the date of this left
inissioner of Patent his application has bee rtened statutory period to respond within the	n examined If for response to this operiod for response	Responsive to comm	3 mon	th(s)	This action is made final. days from the date of this left
this application has been remed statutory period to respond within the THE FOLLOWING Notice of References	n examined If for response to this operiod for response	Responsive to common action is set to expiration will cause the application. ARE PART OF THIS ACTION, PTO-892.	mon's	th(s), ned. 35 U.S.C.	This action is made final. days from the date of this left

7.
This application has been filled with informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes.

11. The proposed drawing correction, filed on _______, has been _ approved. _ disapproved (see explanation).

are acceptable. In not acceptable (see explanation or Notice re Patent Drawing, PTO-948).

12. Acknowledgment is made of the claim for priority under U.S.C. 119. The certified copy has 🔲 been received 🗀 not been received 13.

Since this application appears to be in condition for allowance except for formal matters, prosecution as to the merits is closed in

> DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS DMI000246

14. D Other

5. 🗋 Claims

Serial No. 838,511

Art Unit 1504

-2-

The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Claim 21 is rejected under 35 U.S.C. § 102(e) as being anticipated by Kaplan et al.

Kaplan et al. discloses a connective tissue prosthesis comprising a braided sheath yarn component and a core yarn component. The braided sheath comprises braided filaments or braided filament bundles (column 9, lines 4-12). A sheath component containing filaments of different chemical compositions is specifically disclosed (column 9, lines 12-16). Claim 21 is therefore anticipated by Kaplan et al.

The following is a quotation of 35 U.S.C. § 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as

Serial No. 838,511

Art Unit 1504

-3-

prior art only under subsection (f) or (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

Claims 21-24 are rejected under 35 U.S.C. § 103 as being unpatentable over Doddi et al. taken with Kaplan et al.

Doddi et al. disclose a surgical suture comprising filaments of two different polymers in a braided configuration (column 9, lines 47-56). Suitable biocompatible, non absorbable filaments include PET and PTFE (column 9, lines 51-53).

Kaplan et al. discloses a ligament prosthesis comprising a core component and a braided sheath component. The core component is "made up of one or more biocompatible, essentially non-bioabsorbable..." filaments (column 9, lines 1-3). The sheath yarn component may be fabricated from one or more non-bioabsorbable fibers (column 9, lines 25-28). It would have been obvious to form the sheath component of the device of Kaplan et al. from PTFE and PET. PTFE is known to inpart improved knot run down properties to sutures (see Block U.S. Pat. No. 3,527,650). PET is noted for its low cost and high strength. The core yarn component must be non-bioabsorbable (column 4, lines 45-46). Since PET is non-bioabsorbable, biocompatible and has the desirable properties noted above, its use as the core component would have been obvious. Claims 21 and 22 are therefore unpatentable over Doddi et al. taken

Serial No. 838,511

Art Unit 1504 -4-

with Kaplan et al.

Kaplan et al. fail to disclose the prosthesis of their invention connected to a needle. Prosthesis are, however, implanted in the body using a needle. Claims 23 and 24 are therefore unpatentable over Doddi et al. taken with Kaplan et al.

Applicant's arguments with respect to claims 21-24 have been considered but are deemed to be moot in view of the new grounds of rejection.

Any inquiry concerning this communication should be directed to Chris Raimund at telephone number (703) 308-2374.

C. Raimund:pdw

February 25, 1993

GEORGE F. LESMES

SUPERVISORY PATENT EXAMINER

GROUP 150

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Alastair W. Hunter, et al.

Serial No.:

838,511

1504 Art Unit:

Filed

February 19, 1992

Examiner:

C. Raimund

For

STERILIZED HETEROGENEOUS BRAIDS

1 hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Mashington, D.C. 20231 on

(Date of Deposit)
(Date of Deposit)
Hal Brent Woodwown Name of applicant, assignee, or Registered Representative
Hall Brown Doorhow (Signature)
August 3 1993 (Date of Signature)

SEP 1 1902

ETH-782

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Submitted herewith on Form PTO-1449, is a listing of documents known to the Applicants and/or their attorney in compliance with the requirements of 37 C.F.R. §1.56. Copies of these documents are also being submitted.

These documents are being submitted after the first Office Action. Accordingly, the Patent and Trademark Office is authorized to charge Account No. 10-750/ETH-782/HBW the appropriate fee under 37 C.F.R. §1.17(p) for the citation of these documents. copies of this statment are included.

C514107 09/08/93 07838511

10-0750 140 126

200.00CH

Consideration of the cited documents and making the same of record in the prosecution of the above-noted application are respectfully requested.

Respectfully submitted,

Hal B. Woodrow Reg. No. 32,501

JOHNSON & JOHNSON One Johnson and Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976

ETH-782

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Alastair W. Hunter, et al. Applicants:

Art Unit: 1504 838,511 Serial No.:

Examiner: C. Raimund February 19, 1992 : Filed

STERILIZED HETEROGENEOUS BRAIDS For

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Mashington, D.C. 20231 on

August 4 1 Hall Brent Woodwood

Rame of applicant, assignee, or Registered Representative Hal Brant Woods (Signature) 1993 (Date of Signature)

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Submitted herewith on Form PTO-1449, is a listing of documents known to the Applicants and/or their attorney in compliance with the requirements of 37 C.F.R. §1.56. Copies of these documents are also being submitted.

These documents are being submitted after the first Office Action. Accordingly, the Patent and Trademark Office is authorized to charge Account No. 10-750/ETH-782/HBW the appropriate fee under 37 C.F.R. §1.17(p) for the citation of these documents. copies of this statment are included.

Respectfully submitted,

Hal B. Woodrow Reg. No. 32,501

JOHNSON & JOHNSON One Johnson and Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976

respectfully requested.

		Sheet 1 of 1
	Docket No.	Serial No
Form P10-1449	ETH-782	838,511
INFORMATION DISCLOSURE CITATION	Applicant Alastair W. Hunt	
IN AN APPLICATION	Filing Date	Group Art Unit
	Feb. 19, 1992	1504
		· ·

U.S. PATENT DOCUMENTS

×am¹Γ		Date	N amé	Class	Sub Class	file Date
nit.	Document No.		Edward Emil Schmitt, et al.	606	228	1/9/67
wr_	3,463,158	8/26/69	Thomas A. Silvestrini	623	13	7/10/89
UP.	4,979,956	12/25/90	Allan K. Schneider	128	335.5	5/13/70
cur_	3,636,956	1/25/72	Shalaby W. Shalaby, et al.	3	1	1/19/77
we_	4,141,087	2/27/79	Karl W. Brennan, et al.	606	228	10/20/89
CUR	4,959,069	9/25/90	Kart W. Dreimant, Co. St.			
<u>, , , , , , , , , , , , , , , , , , , </u>	<u> </u>				_l	
<u> </u>						
			+			

FOREIGN PATENT DOCUMENTS

1			Class	Sub	Trans Yes	late No
Document No.	Date	Country	1 (833		1	
	8/16/80	Great British				
48 2 00L 212		T			1	·
 			•		}	,
<u> </u>					1	ł
				 -	1	\
		i		ļ	<u></u>	<u></u>
	Document No. GB 2 082 213	Document No. Date	Document No. Date Country	Document No. Date Country Class	Occument No. Date Country Class Class	Occument No. Date Country Class Class Yes

OTHER REFERENCES (include author, title, date, pertinent pages, etc.)

	OTHER REFERENCES (MCCODE BOUND		
			DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS DM1000254
Esamon /	01	Date Considered NOVEMBER	8, 1993

Examiner: Initial if citation considered, whether or not citation is in confirmance with MPEP §609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

DOCKET NO. ETH-782

MITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Alastair W. Hunter, et al.

Serial No.: 838,511

Art Unit: 1504

Filed : Fe

February 19, 1892

Examiner: C. Raimund

For :

STERILIZED HETEROGENEOUS BRAIDS

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

ASSOCIATE POWER OF ATTORNEY

sir:

In the matter of the above-identified application, I hereby appoint Hal Woodrow (Reg. No.32,501), whose postal address is One Johnson & Johnson Plaza, New Brunswick, New Jersey 08933-7003, my associate attorney to prosecute said application, to make alterations and amendments therein, to file continuing applications claiming the benefit of said application, to receive the patent and to transact all business in the Patent Office connected with said application.

I request all communications with respect to said application be addressed to Audley A. Ciamporcero, Jr., One Johnson & Johnson Plaza, New Brunswick, New Jersey 08933-7003. All telephone calls should be directed to Hal Woodrow at (908) 524-2976.

Signed at New Brunswick, in the County of Middlesex and State of New Jersey, this 3rd day of August, 1993.

Attorney for Applicant(s)
Jason Lipow Reg. No. 25509

One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976

DATED: August 3, 1993

DePuy Mitek, Inc. v. Arthrey, Inc. C.A. No.04-12457 PBS DM1000255 AUG

CKET NO.

ETH-782 (

1993 in the united states patent and trademark office

Alastair W. Hunter, et al.

Serial No.:

:

838,511

Art Unit:

1504

Filed

February 19, 1992

Examiner:

C. Raimund

For

STERILIZED HETEROGENEOUS BRAIDS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class unil in an envelope addressed to: Commissioner of Patents and Trademarks, Mashington, D.C. 20231 on

خيي (Date of Deposit) Hal B. Woodrow Name of applicant, assignee, or Registered Representative

ust 3 1993 O(Date of Signature)

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

> PETITION FOR EXTENSION OF TIME AND AUTHORIZATION TO CHARGE DEPOSIT ACCOUNT THEREFOR

Dear Sir:

Applicant(s) petition(s) the Commissioner of Patents and Trademarks to extend the time for response to the Office Action dated March 18, 1993 for two (2) month(s) from June 18, 1993 to August 18, 1993. An Amendment responding to the aforesaid Office Action is being filed concurrently herewith.

Please charge Deposit Account No. 10-750/ETH-782/HBW in the name of Johnson & Johnson for the cost of filing this Petition. Three copies of this Petition are enclosed.

P 30003 08/30/93 07838511

Respectfully submitted, 50 030 116 360.00CH 10-0750

> Hal Brent Woodlor Hal B. Woodrow

Reg. No. 32051

Attorney for Applicant(s)

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (903) 524-2976 DATE: August 4, 1993

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS DMI000256

JCKET NO. ETH-782

:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Alastair W. Hunter, et al.

No.:

838,511

Art Unit:

1504

Filed

February 19, 1992

Examiner:

C. Raimund

For

STERILIZED HETEROGENEOUS BRAIDS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class unit in an envelope addressed to: Cosmissioner of Patents and Trademarks, Washington, D.C. 20231 on

(Date of Deposit)

Hal 8, Woodrow
Name of applicant, assignee, or Registered Representative

O(Date of Signature)

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

SEP 1

190.

PETITION FOR EXTENSION OF TIME AND AUTHORIZATION TO CHARGE DEPOSIT ACCOUNT THEREFOR

Dear Sir:

Applicant(s) petition(s) the Commissioner of Patents and Trademarks to extend the time for response to the Office Action dated March 18, 1993 for two (2) month(s) from June 18, 1993 to August 18, 1993. An Amendment responding to the aforesaid Office Action is being filed concurrently herewith.

Please charge Deposit Account No. 10-750/ETH-782/HBW in the name of Johnson & Johnson for the cost of filing this petition. Three copies of this Petition are enclosed.

Respectfully submitted,

Hal But Wood Hal B. Woodrow Reg. No. 32051 Attorney for Applicant(s)

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976 DATE: August 4, 1993

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS *DMI000257*

ETH-782

TES PATENT AND TRADEHARK OFFICE IN TH

Applicants:

Alastair W. Hunter, et al.

Serial No.:

838,511

Art Unit:

1504

Filed

February 19, 1992

Examiner:

C. Raimund

For

STERILIZED HETEROGENEOUS BRAIDS

rtify that this correspondence is see Postal Service as first class migrar of Patents and Trademarks,

glatered Representative age of applicant

Hon. Commissioner of Patents and Trademarks

Washington, D.C. 20231

AMENDHENT

Dear Sir:

This amendment is responsive to the Office Action of March 18, 1993.

IN THE CLAIMS

Please amend claim 2 as follows:

(Once Amended)

[TT. A surgical suture [comprising] consisting essentially of a [the] heterogeneous braid [of claim 1] composed of a first and second set of continuous and discrete varns in a sterilized. braided construction wherein at least one yarn from the first set is in direct intertwining contact with a yarn from the second set; and

poi a) each yarn from the first set is composed of a plurality of filaments of a first fiber-forming material selected from the group consisting of PTFE, FEP, PFA, PVDF, PETFE, PP and PE; and

f'/ b) each yarn from the second set is composes of a plurality of filaments of a second fiber-forming material selected from the group consisting of PET, nylon and aramid; and

P/c) optionally a core.

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS

DMI000258

REMARKS

Please note that the attorney prosecuting this application for the assignee, Johnson & Johnson, is now Hal Brent Woodrow (Reg. No. 32,501). This change has been authorized by the Associated Power Attorney submitted herewith. No change in the address for correspondence is necessary.

Claim 21 has been amend to place this claim in proper form for allowance. Claim 21 as amended claims a heterogeneous braid composed of a first and second set of yarns. The first set of yarns are made of a fiber-forming material selected from the group consisting of PTFE, FEP, PFA, PVDF, PETFE, PP, and PE materials. The second set of yarns are made of a fiber-forming material selected from the group consisting PET, nylon and aramid materials. Support for there amendments may be found in the specification on page 4, lines 12-22 and page 8, lines 3-23. Accordingly, applicants request entry of this amendment and reconsideration of claim 21.

The rejection of claim 21 under 35 U.S.C. §102(e) as being anticipated by Kaplan et al. has been reviewed. applicants respectfully submit that claim 21 as amended is not Kaplan, as stated by the Examiner, anticipated by Kaplan. describes a connective tissue prosthesis comprising a braided sheath yearn component and a core yarn component. The sheath yarn being a biocompatible yarn that is bioabsorbable or semibioabsorbable (column 9 lines 10-12). In one embodiment the sheath yarn could also contain a non-bioabsorbable yarn of one or more chemical composition (column 9 line 25-27). Claim 21 as amended does not claim a sheath yarn composed of a bicabsorbable yarn. Accordingly, Kaplan et al. does not anticipate claim 21 under 35 U.S.C. § 102(e). Therefore, applicants request reconsideration and withdrawal of the rejection of claim 21 as being anticipated by Kaplan et al.

Applicants have also reviewed the rejection of claims 21-24 under 35 U.S.C. § 103 as being unpatentable over Doddi et al. taken with Kaplan et al. However, applicants respectfully submit that claims 21-24 are patentable over these documents.

Doddi et al. describes (column 9, lines 46-56) multifilament sutures composed of p-dioxanone and/or 1,4 dioxepan-2-one and alkyl substituted derivatives that may be woven, braided or knitted, either alone or in combination with nonabsorbable fibers. Although Doddi is a significant contribution to the art, Doddi does not describe heterogeneous braids formed from a first set of yarn composed of a plurality of filaments formed from materials selected

from the group consisting of PTFE, FEP, PFA PVDF, PETFE, PP and PE; and a second set of yarn composed from a plurality of filaments formed from materials selected from the group consisting of PET, nylon and aramid. Accordingly, Doddi alone would not render the present invention obvious.

Kaplan et al. as discussed previously describes a prosthesis comprising a core component and a braided sheath component. The sheath component which is designed to "erode over time" (column 9, line 52) to leave only the nonabsorbable core component. The sheath, however, may optionally have, in addition to the bioabsorbable sheath yarn, one or more non-bioabsorbable filaments. Applicants, therefore, respectfully submit that Kaplan does not suggest or disclose combining a first set of nonabsorbable yarns (i.e. PTFE) and a second set of nonabsorbable yarn (i.e. PET). In fact, Kaplan teaches away from this combination.

In column 2, Kaplan describe one of the objects of their invention as being "a prosthesis being formed of a composite yarn wherein an elastic core yarn is wrapped with a relatively inelastic, bioabsorbable or semi-absorbable sheath yarn so as to exhibit the stress-strain properties of natural tissue" (column 2, In column 4, Kaplan describes fluorinated lines 36-41). hydrocarbons, polypropylene and polyethylene as elastic core polymers as opposed to the inelastic sheath polymers desired in the sheath. Thus, Kaplan appears to suggest that the sheath yarns listed by the applicant in claim 21 should not be used as in sheaths. Applicants respectfully submit that in view of Kaplan teaching away from the present invention that the combination of Kaplan with Doddi does not render the present invention obvious. Accordingly, Applicants request reconsideration and withdrawal of the rejection of claims 21-24.

The citation of Block (U.S. Patent No. 3,527,650) has also been considered, but is respectfully submitted to be non-analogous art. Block describes the use of PTFE particles on the external surface of a PET suture as a lubricant. Block, however, does not suggest or disclose PTFE fiber as having a lubricating effect. Therefore, Block's use of PTFE particles does not suggest or disclose the use of PTFE fibers in braids.

Applicants also wish to alert the Examiner to the applicants' intent to change the inventorship because of the reduced scope of the claims. Dennis D. Jamiolkowski will no longer appear as an inventor if the present claims are allowed. Papers to effectuate this changed inventorship will be submitted when one or more of the present claims are indicated to be allowable.

Respectfully requested,

Hal B. Woodrow Reg. No. 32,501

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976 Date: (Linguet 34495

- 4 -

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Alastair W. Hunter, et al.

Serial No.:

838,511

Art Unit:

1504

Filed

February 19, 1992

Examiner:

C. Raimund

For

STERILIZED HETEROGENEOUS BRAIDS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231 on

RECEIVED GROUP 150 NOV 1 0 1993

November 9, 1993 (Date of Deposit) Hal Brent Woodrow Name of applicant, assignee, or Registered Representative: (Signature)

November 9, 1993

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

SUPPLEMENTAL AMENDMENT

Dear Sir:

This Supplemental Amendment is an amendment to the Amendment submitted on August 4, 1993.

REMARKS

Applicants have noticed that the Amendment of August 4, 1993 under the heading "In The Claims" states, "Please amend claim 2 as follows:", however, the claim designated as being amended is claim

Noted-queted by Francis -A Lanea (SPE)

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS DMI000262

21. Applicants respectfully request this sentence be changed to read "Please amend claim 21 as follows:".

Has But Woveleve

Hal Brent Woodrow
Reg. No. 32,501
Attorney for Applicant(s)

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976 November 9, 1993



ATMENT OF COMMERCE UNITED STATES DE Address: COMMISSIONER OF PATENTS AND TRADE Washington, D.C. 20231

FIRST NAMED APPLICANT ATTORNEY DOCKET NO. FILING DATE SERIAL NUMBER 9778 18,511 CONTRINE OF 15N1/11.8 EXAMPLER ROBERT L. MINIER ONE JOHNSON & JOHNSON FLAZA NEW BRUNSWICK, NJ 00930 7003 ARTUMET

DATE MAILED:

NOTICE OF ALLOWABILITY

ART I/	1 5 had Amust 9 1993
ART I. If This communication is responsive to the Arrowser.	THE CONTRACTOR DESCRIPTION OF THE ADDICATION If not included
2. All the claims being allowable, PROSECUTION ON	THE MERITS IS (OR REMAINS) CLOSED in this application. If not included the control of the contro
herewith (or previously mailed), a Notice Of Allowark	S MIN HOME LAS DOE OF LOUIS
course. 3. The allowed claims are 21, 23, 24, 7,8,	10-12,14,18-20
3. The allowed claims are	are eccentable
4. The drawings med on	
7 Note the attached Examiner Interview Summary Reco	rd, PTOL-413.
A C Note the attached Examiner's Statement of Reasons to	for Allowance.
a D store the attached NOTICE OF REFERENCES CITED.	PTO-892.
10. 12 Note the attached INFORMATION DISCLOSURE CITA	ATION, PTO-1449.
IU. IZ NOIS THE STEED THE COMMENTS	
PART II. A SHORTENED STATUTORY PERIOD FOR RESPONSE to FROM THE "DATE MAILED" indicated on this form. Fel Extensions of time may be obtained under the provisions of 3	comply with the requirements noted below is set to EXPIRE THREE MONTHS * liure to timely comply will result in the ABANDONMENT of this application. 37 CFR 1.136(a).
- D Mark the street EVAMINER'S AMENDMENT OF N	OTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath
2. APPLICANT MUST MAKE THE DRAWING CHANGE	S INDICATED BELOW IN THE MANNER SET FORTH ON THE REVERSE SIDE
a. Drawing informatities are indicated on the NO	TICE RE PATENT DRAWINGS, PTO-948, attached hereto or to Paper No.
b. The proposed drawing correction filed on	has been approved by the examiner. CORRECTION IS
REQUIRED.	the examiner in the attached EXAMINER'S AMENDMENT. CORRECTION IS
	GIG SABIRRIES IN COMMENTS
REQUIRED.	·
 Formal drawings are now REQUIRED. 	
Any response to this letter should include in the upper r AND ISSUE FEE DUE: ISSUE BATCH NUMBER, DATE OF T	ight hand corner, the following information from the NOTICE OF ALLOWANCE THE NOTICE OF ALLOWANCE, AND SERIAL NUMBER.
Attachments:	
Examiner's Amendment	 Notice of Intermal Application, PTO-152 Notice re Patent Drawings, PTO-946
Examiner interview Summary Record, PTOL- 413	Notice to Patent Unaversal, 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
_ Reasons for Allowance	_ Listing or Borrows or ansarra-
Notice of References Cited, PTO-892	# #FE-12-
Information Disclosure Citation, PTO-1449	

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS DMI000264

Art Unit: 1504

Part III

. 017030,51.

EXAMINER'S AMENDMENT

-2-

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.

Authorization for this Examiner's Amendment was given in a telephone interview with Hal B. Woodrow on November 15, 1993.

Permission was given to amend the claims as follows.

Cancel claims 1/9, 13, 15, 16, 11 and 22.

In claims 7, 9, 10, 11, 14, 18, 19 and 20, line 1, change "heterogeneous braid" to "surgical suture".

In claim 7, line 1, change 6" to "21".

In claim 10, line 1, change "9" to "8",

In claim 14, line 1, change "13" (9 "12".

In claim 18, line 1, change "17" to "14",

In claim 20, line 1, change "1" to "21".

In claim 24, line 1, change "22" to "1/4"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris Raimund whose telephone number is (703) 308-2374.

Chris Raimund/cwr November 15, 1993

GEORGE F. LESMES
SUPERVISORY PATENT EXAMINER

GROUP 150



UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: Box ISSUE FEE

COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

1581/111.

PAREERS L. MINIER CAR JURNION & TORNSON PLAZA WER BRUNSWICH, NJ 08923-7000

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

Note attached communication from the Examiner

This notice is issued in view of applicant's communication filed

SERIES CODE/SERIAL NO.	FILING DATE	TOTAL CLAIMS	EXAMINER AND GROUP ART UNIT		DATE MAILED
67/538.51:	517 1979 2	012	AGG MURNO () I	1941	11/15/35
First Named Applicant EPINTER:		ALAS	Telh W.		

TITLE OF

INVENTIONS TERMILIZED LIZETEROREREDLE ERADIC

	ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN, TYPE	SMALL ENTITY	FEE DUE	DATE DUE
3	ETH-730	555 221.00	00 SE	7 Uğilir	4. 4.학	#1177 <u></u> 1	in the first of the second

THE FEE DUE IS THE AMOUNT IN EFFECT AT THIS TIME. IF THE AMOUNT OF THE ISSUE FEE INCREASES PRIOR TO PAYMENT, APPLICANT WILL BE NOTIFIED OF THE BALANCE OF ISSUE FEE DUE.

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT.

PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

- I. Review the SMALL ENTITY Status shown above. If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the patent and Trademark Office of the change in status, or
 - B. If the Status is the same, pay the FEE DUE shown above.
- If the SMALL ENTITY is shown as NO:
- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, pay of 1/2 the FEE DUE shown above.
- II. Part B of this notice should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B should be completed and returned. If you are charging the ISSUE FEE to your deposit account, Part C of this notice should also be completed and returned.
- III. All communications regarding this application must give series code (or filing date) and serial number. Please direct all communications prior to issuance to Box ISSUE FEE unless advised to contrary.

IMPORTANT REMINDER: Patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PTOL-85 (REV.7-92) (OMB Clearance is pending) PATENT AND TRADEMARK OFFICE COPY

MAILING INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE	TRANSMITTAL
All further correspondence including the Issue Fee Receipt, the Patent, advances order	ers and notification of maintenance fees will be mailed to addressed
entered in Block 4 unless you direct otherwise, by: (a) specifying a new correspondent FEE ADD/JESS* for maintenance fee notifications with the payment of Issue Fee or If	ce address in Block below, or (b) providing the PTO with a separate
1 CORRESPONDENCE ADDRESS	2 INVENTOR(S) ADDRESS CHANGE (Complete only 4 there is a charge)
EB FEB	INVENTOR'S NAME
5 18 3 1994 &	Street Acts and
450 615	City, State and ZIP Code
TO SELECT OF STREET, S	CO-INVENTOR'S NAME
udb komentours T ormson Placa was Perbudaes No. 100937-7003	Street Address
Win (03.337.500)	<u> </u>
<u> </u>	City, State and ZIP Code
	Check if additional changes are on referse side
SERIEG CODE/SERIAL NO.) FILING DATE LAPOTAL GLAIMS	EXAMINER AND GROUP ART UNIT CITY. DATE MALED
6	
	MIND: 1. (2013 1- 11/10/3)
Applicant applications of the second of the	A A STATE OF THE S
ITLE OF	1,8/99
MENTION TO BE COULD BE CONTRIBUTED FROM BENEFIT TO THE	1. 1. IA
	ear to € 1.
N = m 1	out of
ATTY'S DOCKET NO. CLASS SUBCLASS PATCH NO. PAPP	ON TYPE SMALL ENTITY FEE DUE DATE DUE
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
574-787 606-23 1.00 0 567 1	STILLING OF THE OLD OF THE SE
±0-0 756 0	for printing on the petent from te. list the names of not more than observed patent strongers of 1 ints OR atternatively, the name of a 1 thanking or agent. If no name 1 170 0000 H and of the name of 1 170 0000 H and of the name of 1 170 0000 H
±0-0 756 0	ie, list the names of not more than observed coaten stromers of his OR atternatively, the name of a shaddighs a symptoer a registered 2 know agent. If no name is 170 0000
DO NOT USE THIS	ie, list the names of not more than observed coaten atterneys of the name of a strangillos a premier a registered 2 knowledges a premier a registered 2 knowledges. The name is 170 00CH and not list the wilding printed.
DO NOT USE THIS S. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print of type)	le, list the names of not more than obstered catain attorneys or. In this OR alternatively, the name of a characteristic appendix of a characteristic and a
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (printed type) (The AME OF COSTONEE Inc. Recorded - 2/19/92 Ree1-6023	is, list the names of not more than postered catant atterneys oc. 1 into OR atternatively, the name of a shadolfus a gregorer a registered 2 kneep or agent. If no nameds 170.00CH ad. not take which printed. 30.00CA
DO NOT USE THIS S. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type)	is, list the names of not more than postered catant strongers or. In all Brent Woodrow with the name of a shaddlights a greenber a registered catant stronger and printed. In a stronger and the name of a shaddlights a greenber a registered catant stronger and the name of a shaddlights a greenber are greenber and the name of the
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type) (1) HAME PASSINEE Inc. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CITY A STATE OR COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION	le, list the names of not more than possed catant siturneys or. In had a light services of the services of th
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (pink or type) (1) MANY OF ASSIGNEE: Inc. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CITY 1 STATE OF COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION (b) Oh 10.	Set is the names of not more than
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type) (1) THAME STASSIGNEE. Inc. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CITY & STATE OR COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Ohio This application is NOT assigned. M Kellingment is being previously submitted to the Patent and Trademark Office. Assignment is being submitted under separate cover. Assignments should be	le, list the names of not more than possessed catant strorreys or. In this CP attentializer, the name of a shadout a superpore a registered In the following times. Common of the color of the colo
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type) (Introduced Control of the Patent Control of the Patent and Trademark Office. (Introduced Control of the Patent and Tr	SPACE
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type) (1) PAME OF ASSIGNEE. Inc. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CITY & STATE OR COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Ohio (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Ohio (4) X-Bignment is being previously submitted to the Patent and Trademark Office. (5) Assignment is being submitted under separate cover. Assignments should be directed to Box ASSIGNMENTS. PLEASE NOTE: Unless an assignee is identified in Block 5, no assignee data will appear nation clusion of assignee data is only appropriate when an assignment has been previously submitted under separate cover.	Exist the names of not more than possed catant strongs of a man possed catant strongs of a miss OR alternatively, the name of a strategies a registered catant strongs of a miss of a hadrages a registered catant strongs of a miss of a mi
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (print or type) (1) MAME OF ASSIGNEE: I n.c. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CVTV 4 STATE OR COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Oh i.o. A This application is NOT assigned. M Xelignment is being previously submitted to the Patent and Trademark Office. Assignment is being submitted under separate cover. Assignments should be directed to Box ASSIGNMENTS. PLEASE NOTE: Unless an assignee is identified in Block 5, no assignee data will appear	Exist the names of not more than possessed catant strongs of a continuous catant
5. ASSIGNMENT DATA TO BE PRINTED ON THE PATENT (pinn or type) (1) HAMA GFASSIGNEE: Inc. Recorded - 2/19/92 Ree1-6023 (2) ADDRESS: (CITY & STATE OR COUNTY) (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Ohio (3) STATE OF INCORPORATION, IF ASSIGNEE IS A CORPORATION Ohio Assignment is being previously submitted to the Patent and Trademark Office. Assignment is being submitted under separate cover. Assignments should be directed to Box ASSIGNMENTS. PLEASE NOTE: Unless an assignee is identified in Block 5, no assignee data will appear patent. Inclusion of assignee data is only appropriate when an assignment has been previously submitted to the PTO or is being submitted under separate cover. Completion of this form	SPACE

PTOL-858 (REV.7-92)(OMB Clearance is pending)

DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS

DMI000267

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

	8:55	RK OFC	Box ISSUE FEE Commissioner of Patents and Trademarks Washington, D.C. 20231
ļ	H.	SION	on February 16, 1994
13	8	P.Y.O.	(Zate)
(D	60	& Tu	Hal Brut Deorhand
	94 FEB	PATEHT I	(Signature)
	ਨ	PA	Hal Breut Woodney
			(Typed or Printed Name)
			February 16, 1994
			(Date)

Note: If this certificate of mailing is used, it can only be used to transmit the Issue Fee. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing.

This form is estimated to take 20 minutes to Complete. Time will vary depending upon the needs of the individual applicant. Any comments on the amount of time you require to complete this form should be sent to the Office of Management and Organization, Patent and Trademark Office, Washington, D.C. 20231 and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, D.C. 20503.

PART B-ISSUE FEE TRANSMITTAL

MAILING, INSTRUCTIONS: This form a rould be used for transmitting the ISSUE FEE. Blocks 2 through 6 should be completed where appropriate. All further correspondence including the Issue Fee Receipt, the Patent, advances orders and notification of maintenance fees will be mailed to addressee entered in Block 1 unless you direct otherwise, by: (a) specifying a new correspondence address in Block below; or (b) providing the PTO with a separate *FEE ADDRESS* for maintenance fee notifications with the payment of Issue Fee or thereafter. See reverse for Certificate of Mailing.

•			_	2. INVENTOR(S) ADDRESS CHANGE (C	Omches and f from
	Mr. CCO S	./		INVENTOR'S NAME	Annual Control of the
	68 LEB 2	hallien	ifficate of 6	YARShari Address	
•	18	1		1 September 1	
POSERT () 4	1994	15N1	LITTE CALLED	City, State and ZIP Code	
ONE ONGSON	RIDEMINE	133 242 - 44		CO-PWENTOR'S NAME	
NEW BEITHSUL		PUATA			
-42 · · · · · · · · · · · · · · · · · · ·	ាំ ខេសាវេ មេឃ្មែច	No man's		Street Address	
				Cay, State and ZIP Code	
	2858ರ್ಡ	stents and Trans	ېلىن ئالىر - د مەرىمۇ Ωد	s x	
•		0.7 5.50	n candissin	Check if additional changes ar	B DO FEVERNA AICH
SERIES CODE/SERIAL NO.,	", FILING DATE	TOTAL CLAIMS	FYA	MINER AND GROUP ART UNIT	
			3 - 1 - 7	ALL THE CHANGE AND OWN	ATE MALED
	(* 105.05 ×	i 1	CT		
First Named			िन्त्रीतुत्रातुत्		11/10/9
Applicant at property		<u> </u>		,	1 40%
LE OF MENTION					The latest Connection
CHINA TERM CERT OF	TOPPOEMEGUS	5. BFG+((d)		14	2/18/9
		* = - * - *	4 - 4 - 4 -		
				Select Dath (1997)	
ATTY'S DOCKET NO	CLASS SUBCL	se l'estaure l		*. ¬*	
	00000000	ASS BATCH NO.	APPLN, TYPE	SMALL ENTITY - FEE DO	JE DATE DUE
FETH- 192				.13.,3	•
	406-20			<u>07111 </u>	.00 02/18/94
			paper, sour	papers. Each additional	- 1 €.
		- 23	icate of mailin	must have its own certifi	e de la companya de l
		- 23	4. For printing o page, list the na	mus; have its own certification in the page of the most property of the page o	Brent Moodrow
		- 23	4. For printing of page, list the na 3 registered paters OR after	must have its own certification of the patent front times of not more than the patent attempts or	Brent Moodrow
		- 23	4. For printing of page, list the na 3 registered pate agents OR after firm having as a attorney or ager	Mayer it cown certification of the community in the patient front than the community in the	Brent Moodrow
		- 23	4. For printing o page, list the na 3 registered pate agents OR after firm having as a	Mayer it cown certification of the community in the patient front than the community in the	Brent Moodrow
		- 23	4. For printing of page, list the na 3 registered pate agents OR after firm having as a attorney or ager	Mayer it cown certification of the community in the patient front than the community in the	Brent Moodrow
		Nange)	4. For printing of page, list the na 3 registered pate agents OR after firm having as a attorney or ager	Mayer it cown certification of the community in the patient front than the community in the	Brent Moodrow
		Nange)	4. For printing o page, list the na 3 registered pat agents OR after firm having as a attorney or agen listed, no nane v	Mayer it cown certification of the community in the patient front than the community in the	Brent Moodrow
	Tiplete only if there is a cf	Nange) DO NOT U	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane v	Hall Hall Hall Hall Hall Hall Hall Hall	Brent Moodrow
orrespondence address change (Cor	Tiplete only if there is a ch	PO HOT U	4. For printing o page, list the na 3 registered pair apents OR alternor firm having as a attorney or ager listed, no nane si	Hall Have sets own certifications of the parent front	Brent Moodrow
Orrespondence address change (Cor	Tiplete only if there is a ch	DO NOT U	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane s	Hall Have sets own certifications of the community of the certification	Brent Moodrow
CONTRACTOR OF PRINTED ON THE PRINTED	TREPATENT (prise of type) Orded 2719	00 HOT U	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane w	Hall Have the country have the country have a children to the country have the country had not have the country had not have the country had n	
ESTONMENT DATA TO BE PRINTED ON THE	The PATENT (prise of type) Orded 27/19 Orded 27/19	DO NOT US	4. For printing o page, list the na 3 registered pata apents OR attent firm having as a attorney or ager listed, no nane v	Hitheo nwo at: even ! sum If the patent front	M. B. of Corporati
SSIGNMENT DATA TO BE PRINTED ON THE	The PATENT (prise of type) Orded 27/19 Orded 27/19	DO NOT US DO NOT US DO NOT US PROPRIEM STORY PROPRIEM STORY DO NOT US D	4. For printing o page, list the na 3 registered pai apents OR alter firm having as a attorney or ager listed, no nane s	must have attempted the common control of the co	er & of Copies
SSIGNMENT DATA TO BE PRINTED ON THE CONTROL OF SSIGNMENT DATA TO BE PRINTED ON THE CONTROL OF SSIGNMENT OF SIGNMENT OF SIG	The PATENT (prise of type) Orded 27/19 Orded 27/19	DO NOT US DO NOT US DO NOT US PROPRIEM STORY PROPRIEM STORY DO NOT US D	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane with the page of th	History Park (Control of Control	or - 8 of Copies - (Edition or 10)
SSKIMMENT DATA TO BE PRINTED ON THE	Tiplete only if there is a character of the partent (prise of type) Orded 2/19 Orded 2/19 Orded 3/19 Orded 3/1	90 NOT US 30 10 10 10 10 10 10 10 10 10 10 10 10 10	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane with the page of th	Hall Hall Hall Hall Hall Hall Hall Hall	or - # of Copies
SSTONMENT DATA TO BE PRINTED ON THE STONE TO BE PRINTED ON THE TIME OF COUNTY OF THE OF MOORPORATION, IF ASSIGN OF THE OF MOORPORATION, IF ASSIGNMENT Is being previously submitted under the county of the original submitted under the original submitted the original submitted under the original submitted under the original submitted th	Tiplete only if there is a character of the partent (prise of type) Orded 2/19 Orded 2/19 Orded 3/19 Orded 3/1	po not us 3.60 pc oC or deput 792 Ree1-6 Ffame 941 15570000 become	4. For printing o page, list the na 3 registered path apents OR attent from having as a attorney or ager listed, no nane with the second secon	Hall Hall Hall Hall Hall Hall Hall Hall	or - 8 of Copies
SSKEMMENT DATA TO BE PRINTED ON THE SKEW ON THE PRINTED ON THE SASKING OF THE SASKING ON THE SASKING OF THE SASKING ON THE SAS	The PATENT (prist of type) OT Q Q C C C C C C C C C C C C C C C C C	po Not us 5.61, 50 or state /92 Ree1-6 Ff anne-941 Ismotor 's south rademark Office, ments should be	4. For printing o page, list the na 3 registered pair apents OR alter firm having as a attorney or ager listed, no nane situation of the second of the secon	Hall Hall Hall Hall Hall Hall Hall Hall	to: # of Copies: 10: 10-0750 In - # of Copies 10 (Messue of 10)
SSIGNMENT DATA TO BE PRINTED ON THE METER OF COUNTY OF STATE OF INCORPORATION, IF ASSIGN ON 10. STATE OF INCORPORATION, IF ASSIGN ON 10. It is application is NOT assigned. It is application is being submitted under the county of the county	Tiplete only if there is a character of the parent (prise of type) OTCLED 29/19 OTCL	DO NOT US See 1 - 60 37 3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane with the page of th	Hall Hall Hall Hall Hall Hall Hall Hall	to: # of Copies
SSIGNMENT DATA TO BE PRINTED ON THE	TOBY INV. BOTO THE PATENT (print or type) OTGE 2//19 OTGE 315 TO	po Not us 792 Ree1-6 F1 ame 941 15-70101 3 5-000 rademark Office, ments should be no assigned data will a lassignment has been gover. Completion of this	4. For printing o page, list the na 3 registered pair apents OR alter firm having as a attorney or ager listed, no nane is storney or agert listed in the page of the pag	Hall Hall Hall Hall Hall Hall Hall Hall	in - # of Copies
SSIGNMENT DATA TO BE PRINTED ON THE METER OF COUNTY OF STATE OF INCORPORATION, IF ASSIGN ON 10. STATE OF INCORPORATION, IF ASSIGN ON 10. It is application is NOT assigned. It is application is being submitted under the county of the county	TOBY INV. BOTO THE PATENT (print or type) OTGE 2//19 OTGE 315 TO	DO NOT US See 1 - 60 37 3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane will sted, no nane will sted sted, no nane will sted sted sted sted sted sted sted sted	HAD NWO 21: 8V6H (2UM) In the patent front In the patent grant In	or - 8 of Copies(labrarum or 10) 10 - 10 - 0750 or - 8 of Copies10 DEMARCS is
SSIGNMENT DATA TO BE PRINTED ON THE	TOBY INV. BOTO THE PATENT (print or type) OTGE 2//19 OTGE 315 TO	po Not us 792 Ree1-6 F1 ame 941 15-70101 3 5-000 rademark Office, ments should be no assigned data will a lassignment has been gover. Completion of this	4. For printing o page, list the na 3 registered path apents OR attent from having as a attorney or ager listed, no nane with the second secon	Hall Hall Hall Hall Hall Hall Hall Hall	DEMARKS is an identification of top of the control
SSIGNMENT DATA TO BE PRINTED ON THE	TOPIC TOPIC OF THE PATENT (prise of type) OT ded = 2/19 OT ded = 2/19 OT ded = 2/19 NEE IS A CORPORATION Pattent and Topic of type of type of the patent and Topic of type of typ	/92 Ree1-6 Frame 941 Sale of the second of	4. For printing o page, list the na 3 registered pat apents OR alter firm having as a attorney or ager listed, no nane will steed the second of the second o	In the patent front the patent front the patent front the patent front the patent	or - # of Copies

THIS FORM WITH FEE-CENTIFICATE OF MAILING ON HEVERSE

	TRANS :	PART B-ISSUE FEE		/ .
and the second of the second o	in ing led by in religion, green the bibliographic actions in the left for the control of the con- action and which in the legender by	TEST BURNES OF STANDARD OF STA	Grand a byddi Grand Grand	A TANK IN THE IS
Julian A 10 a	orea 🧓 Sievischerde for Combinate 		3457574.3	
and the second s	MAR STOTE TWO			<i>;</i>
		ate of Mailing		
, ,	I hereby certify that this corrected United States Postal Ser class mail in an envelope ad	espondence is being deposited with vice with sufficient postage as first idressed to:		- MBW - 304 - 313
	Box ISSUE Commission	oner of Patents and Tragemarks		<u>.</u>
MOVE STREET, STORE AS A	workers remodels to the CO Washingto	on, D.C. 20231	91 2 CH 2 W	SERIES CODE/SER
e da e	מונים ביותר בחסום או ביותר	24 10 1994 CT		
		(53 te)		First Named Acr Lank
	(Signature)	But Wiscome		TITLE OF
• •	Hal	Brent Weedney		121
	(Typed or Printed Name)	· · · · · · · · · · · · · · · · · · ·		2774
entra esta de la constanta de	(Date)	0 10		17.2
,	Note: If this certificate of m the Issue Fee. This certific papers. Each additional pa must have its own certifical	nailing is used, it can only be used to tate cannot be used for any other ac aper, such as an assignment or form te of mailing.	nal drawing.	
	MUSI Have its own as	TEN ASSISTANCE	. ระพยาภาษา ชาการ	Correspondence address
e sa memili	الم المراجعة المراجعة المراجعة المراجعة الم	r disk bit was henger henser tag	C.A. No	, Inc. v. Arthrex, In 0.04-12457 PBS
	କ୍ରାଣ୍ଡ ପ୍ରମଣ ଓ ଅବସ୍ଥ ଜୁଲା ନୁସ୍ଥ ଓଡ଼ି କାଲ୍ଲ	se on Delai	DN	11000270
-	<u> </u>	DO NOT USE TH'S SPACE		
er e et trape	The amount of time you remained the amount of time you remained at the amount of time you remained the amount of time you remained the amount of the amount	take 20 minutes to Complete. Time is of the individual applicant. Any of squire to complete the folial spould to Organization each and Tradem and to the Office of Information and ement and Budget, Washington, D.C.	DE SENTION	Object Moreonate
Agrama erBel — i rome − − − − − − − − − − − − − − − − − − −	XXvsus Fig. XAASancid Cron Any Deliverances or Encoded Fig. The COMMISSIONER OF NATEURS AND TRUC- sourced to stopy in whice Fig. 10 the assessing Spream of comp. In human of naced	rent and Trademark Office M. Assignments should be in Block 5, no assignee data will apprezion bre	TOUSH SUbmitted to the Pain MENTS under separate cover separate cover IMENTS. Briansigner is dentified in the data is now separate or the sep	S Additionant to being previously to being such colorated to their ASSICA PLEASE MORE Unions patents of beauty patents of beauty
2 endrong/16/	32,501 Hap Bank	Compisson of this larm is NOT	# Party submitted under p	De Questi de la companya de la compa
क्षेत्र जनगण का दक्तकात क होता : आ	COPIE OF PAINTS and Trademark Cities	p i		



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Alastair W. Hunter, Dennis D. Jamiolkowski and Arthur Taylor, Jr.

Serial No. 07/838,511

Group No. 1504

Filed:

February 19, 1992

Examiner: C. Raimund

For:

STERILIZED HETEROGENOUS BRAIDS

CERTIFICATE OF MAILING (37 CFR 1.8(a))

RECEIVED

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the Whiteh States Postal Service on the date shown below with Sufficient postage as first class mail in an envelope addressed to the: Commissioner of Patents and Trademarks, Washington, D.C. 20231.

> Hal Brent Woodrow Name of Person Mailing Paper

Date: November 22, 1993

al Breet Warden Signature of Person Mailing Paper 12-6-93

Commissioner of Patents and Trademarks Washington, D. C. 20231

AMENDMENT, PETITION AND FEE DELETING CORRECTLY NAMED ORIGINAL PERSON(S) WHO ARE NOT INVENTOR(S) OF INVENTION NOW BEING CLAIMED (37 CFR 1.48(b)

This amendment and petition under 37 CFR 1.48(b) is to delete the name(s) of the following person(s) originally named as inventor(s) of the invention now being claimed:

Dennis D. Jamiolkowski

Claims Now On File

The claims in this application are as follows:

ĺ)	originally	filed	claim(s)	 		
[]	originally	filed	claims	 as	amended	on

[] claim(s) _____ filed on ___

claim(s) 21-24 filed on February 19, 1992 as amended on August 4, 1993 and amended by the Examiner's Amendment of P 30079 NO2/07/PEC 4/5/281/993 10-0750 : 0 : 102 576 namp

USSN 07/838,511

[X] claims 25-33 added by the Examiner's Amendment of November 15, 1993

DILIGENCE

This amendment and petition is being filed

[X] diligently after discovery that any claim(s) for which the above-named inventor who is being deleted are now no longer the inventor of the subject matter being claimed.

4. STATUS OF INVENTORSHIP AFTER AMENDMENT

[] Attached is an explanation of the facts, including the ownership of all the claim(s) at the time the last claimed invention was made (Declaration of Inventorship and Common Ownership of Claims in Application).

5. FEE (37 CFR 1.17(h)

The fee required is paid as follow:

- [X] charge Account No. 10-750/HBW/ETH-782 for any fee deficiency
- [X] charge Account No. 10-750/HBW/ETH-782 the sum of \$130.00

Hal Brent Woodrow Reg. No. 32,501


Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (908) 524-2976 November 22, 1993



UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address | COMMISSIONER OF PATENTS AND TRADEWARKS | Weshington, D.C. 20231


	ILING DATE	1 HST WAYED ACC.		ATTORNEY GUERETNI
47/8.%. 5 11	02/19/92	HUNTER		į tiai mijo
			รีเมาร า งเทาเ	e.
		15N1/0527		EXAMINEN
ROBERT L. MIN		mi ana		
ONE JOHNSON & NEW BRUNSWICH			ARTUMI	PAPER NUMBER
		- / V	1504	
			DATE MAILED	05/27/94
				*** *** *** **************************
The netition filed	unc	ler 37 CFR 1.312(b) is granted.		
		o the examiner for consideratio		
		1 /		
-		2/16/94		
The amendment fit considered, and ha	led as been:	2/16/17	under 37 CFR 1.31	2 has been
1. entered				
2. entered as di	rected to matte	ers of form not affecting the sco	pe of the invention (0	3311).
<i>/</i> `				
3. disapproved.	а героп арре	ars below.		
4. entered in pa	ит. А героп ар	pears below.		
		•		
Danost:				
Report:				
		<u>/</u> 1		
		$\mathcal{M} \mathcal{U}$		_
		14-19-		
		$/// \propto$		
		<i>f</i> *		
		SUPERVICORY	A TOP A STATE OF THE STATE OF	
		SUPLEMES OF	- 150	



EDWARD EMIL SCHMITT ROCCO LIBERT POLISTINA BY Samuel Brank House ATTORNEY

> DePuy Mitek, Inc. v. Arthrex, Inc. C.A. No.04-12457 PBS


DMI000275




739-3

EDWARD EMIL SCHMITT ROCCO ALCERT POLISTINA BY

Samuel Brank talk





Сĺ 12 11 10 12 12 12 12 That Cl. Ash & But S.C. cus U.S. CL 124-334

ALSTRACT OF THE INTEREST AND

pulphydroxyscotic ester, place eithid pojest considered many individual effect, none of the proposed of the control of the implemention, in trong measure, i on tioner, the poly lycothe acid in absenced, and replaced by living tion. Judice structures of an intermisture of PGA and non-associable matericl are particularly useful in it she repair or replacement to that invine tissue incrhanically unites about the non-a wordhole fiver structure, locking it into place.

CROSS REFERENCES

This application is a continuation-in-part of applica-

This invention relates to absorbable surgical elements of polyhydroxyacetic ester hereafter called polyglycolic as acid (PGA).

Prior art

The use of submucosal tissue and ribbons therefrom Include of subanucosal insert and reconstingerous inferential insert nate as United States Patent 2,167,251, Rogers, "Surgical Tape of Sumulosa Tissue," July 25, 1939, United States Patent 2,143,910, 40 Didusch, "Riobon Gut and Method of Using the Same, Distusen, Tranzion Cite and Method of Using the Same, Jan. 17, 1939, and United States Patent 2,127,903, Bowen, "Tube for Surgical Purposes and Methods of Preparing and Using the Same," Aug. 23, 1935.

U.S.P. 2,536,181, J. S. Tapp, "Flowble Nylon Tube and Method for Preparing Same" shows a braided heat refund forming with treated method to be seen and the same of the same of

crimped formic acid treated nyton tube spliced into a blood vessel, with the crimp permitting a desired dagree

of flexibility.

ı

U.S.P. 3,099,6 ..., M. L. Edwards, "Heart Valve" shows a plastic cardiat valve, in which a fabric is emplaced in a ring around the valve, and sutured to the heart tissue, to permit the heart tissue to grow to such fabric, and hold the calve in position in the heart.

U.S.P. 3,054,406, F. C. Usher, "Surgical Mesh," Sept. 18, 1962, shows the use of a polyethylene woven mesh fabric implanted in the human abdominal wall for re-

inforcing and Muling defects.
11.S.P. 3,108,757, W. J. Liebig, "Compound Absorb. 60 able Prosthetic Implants, Fabrics and Yarus Therefor" shows flexible fabries of mixed absorbable and non-absoroable textile fibers for implantation, and reinforcement

B.A.P. 3,124,175, F. C. Uster, "Method of Repairing 15 Body Toyon," Mer. 10, 1974, store, the end of kindled The car p-liveshy end much offerend to each - 22 of a fill see differ The polyethytene is noticed as each of the and permanently reinforces the topic at the second of the differ the differ that denote the topic at the second of this differ that differ the differ the differ that the differ that the differ the differ that the differ that the difference of the second of the difference of the differe

176 Na disensi benyi Na disensi Record of Assessment of the Control of the Second Language and the Control of the क्रमहोट्या हारक्षिक्ष

SUMMARY

Postulates in the two feats the five formations we want to be used. The postulation of the process of the postulation of the process of the postulation of the process of t

a non-according or abservation methods to recept your 20 Emission of staple.

"Emple" is used to designate a group of choster fits ments which are usually twinted together to form a long.

continuous thread.

10

Newsphorbable surgically acceptable fill ments littlede 25 filaments of polyallylenes, such as polyethyleen, proferably linear notyethy'ene with a density of a con 0.94 or lighter, or polypropylene, preferably in diet a polypropylene; or a polypromide, such as instant or a polypromide. such its Decrons or a polynerylordinde, with a Callia or This application is a continuation-impair of application Ser. No. 324,843, filed Oct. 31, 1903 now U.S. Patent 30 Cresting or a halogenessed polyallylene, such as polyalistical Satures."

Field of invention Cresting or a halogenessed polyalistic or other halogenessed polyalistics, such as Kel-F or FIEld or other halogenessed polyalistics, such as Kel-F or FIEld or other halogenessed. or linen; or a metal such as stain'ess reel, tanolon, silver, fold, or platinum. The acove are ille traine. Any non-et-orbable material which is essentially mert in living mammelian tissue, particularly buman tissue, is usuble as a non-absorbable filament. Those materials, laving a conparatively high tensile strength and the it-day are preferred.

An absorbable filament is one which is absorbed, that is digrested or dissolved, in Lying mammalian tissue.
A thread is a plurality of filaments, either continuous

or staple, twisted together.

Estrand is a plurality of fluments or threads twisted, photed, braided, or laid parallel to form a cont for ferther construction into a facility or used per te, or a monolitament of such size as to be weven or used inde-

A "biscomponent filament" is a filament composed of two separate materials. As used herein, the term is limited to a filament basing one non-absorbable component and one assorbable component. The components may be adjacent. The most easily formed and preferred Sicomponent frament is a sheathed filument with an internal neaabsorbible material costed, or sheatled, enterimately concentrically, with an ab orbible component.

A "Siscomponent thread" includes a thread of biscomponent Staments or a blend of different reparate mescollament components twisted together, or both.

A "Glicomponent strand" is a strand of one or more bicompensate filements, or two different filement intertals, or both, at least one component of whole is abserbable. A 155-component fabrica is a worsen, harrest, selved, 24hesively united, or otherwise formed for a classification

directions, or fabric tiles haven explained families? Me comporert is ferally of the advertision of the components, at few to are compared of the filters of contacts.

A "cortal fabric" is a fabric of the second fabric of the

ration and dy community short of a love for the tend, by for example by Full right country of a control as least system or with control of a con

Contraction to add 12 r · · · · · · · De la Periodica La regional de la regional La regional de la regio (A, Y) = Y(Y) + (A)Deligner of the state of the manufacture of the confidence of the factors may be according to 12. 100 to 7 that only a distribution of the property of the confidence of

tessic from the PGA.

A figual dumeration series," is a parties of biscompaneat fabric, of the any oneation rid, and tray telection of strands for the fabric, or components for the strand of strands, have closed government on over a door determent. of 1 mm to 15 minuter mere to that a furnic or strand, 30 or it man for its filled, or more, to must a tostic or solution changes in the imposition from remain solution material, or substituting more identification interest, to predominantly or completely obsainable in detail, whereby living tissue can replace it e. Southable conformit and a gradual transation accomplished to accountly nonassorbable reinforces 35, the cyclic dimeric condensation product formed by delaying prostler's and the adjacent living tissue. With an artethat mighant, for lost, the, a post carbs of trouble has been the line of joneture between the cap but and the neteral one me of perceive version and me to a surface with With a gradual time along no snarp line of demarkation exists, and hence fashers between the prosentless and assure are minimized. We himplants of the types shown by Urber, surfacility of the reinforcing elements with a surfacility to the reinforcing elements. ment come cause difficulties. Ve th a gradual transition, a line of potential risk is eliminated.

For different purposes and in different types of tissue 45 the rate of absorption may says but in general an a sorb-able prosthes six and have is high a portion of its original strength as possible for at least three days, and sometimes as much as tricen days or more, and preferably should be completely absorbed by muscular tissue within from fortyfive to ninety days or more depending on the mass of the cross-section. The rate of absorption in other tissues may

vary even more.

In common with many biological systems, the requirements are not absolute and the rate of absorption as well. 53 us the short-term strength requirement varies frem parient to patient and at different locations within the body, as well as with the thickness of the section of PGA.

The PGA may be formed as tales or sheets for surgical repair and may also be span as in a flaments and woven 60 or felted to form absorbable speages or absorbable gause. or used in co-junction with oil or structures as prosthetic devices, within the body of a human or animal where it is desirable that the structure have discreterin strength, but be absorbable. The useful cust ediments include tubes, in- 65. Nov, a discribide aromatic phenol, can be added as color the accordance. The issent case of the enterpy vein or infeating branched thirds or its, for enterpy vein or infeating repair, nerved product tendent soluting, shocks for thing up and supposition does not known, their and constraints that organs, projecting dam set surface areas such as tiplend supposing distance I know a Uniform and Great inter-tinal organs, projecting dam led surface areas such as a final organs, projecting dam led surface areas where the Galactic of the CS project neutral surface where the surface where the Galactic organization of the CS project of Science of the CS project of the CS pr skin and inversiying to the are do noted or surgicelly re-

The symbolic elementer and honor predictable formability and the conservation of a contain. Un from a controlled process are 1 / 25 strong of

.

$$= \frac{\operatorname{cond} \mathbf{e}}{\operatorname{cond} \mathbf{e}} = \frac{\operatorname{cond} \mathbf{e}}{\operatorname{cond} \mathbf{e}} = \left(\frac{\mathbf{e} + \mathbf{e}}{\mathbf{e}}\right) \cdot \mathbf{e} = \mathbf{e}$$

Profession Reserved algas marak

In the 2 include a second control of the level and a second 2351 Court of a control of the 2 include at 2351 Court of a control of a second later and control of a second control of a sec sort deliay, steffnest, and we are classes that a in be mode

Among several methods by a bleft PGA can be propared. one preferred route involves the pulymerication of alscolide,

drating hydroxyalette acid. During polymerication of glycollide, the ring is broken and straightschain polymetriztion occurs.

Small quantities of other materials may be pretent in the chain, as for example, destrute acid, its opacitly active forms, homologs, and analogs, la general, plusticizers tend to interfere with crystallimity, orientation, etc. and weaken fibers, but are useful for spenges and films. Other substances may be present, such as dyes, antibiotics, antisepties, and esthetics, and antioxidants. The surfaces of the fabric can be couled with a silicone, be to wax, and the like to moday the handling or absorption

The polymerization of physolide occurs by heating with or without a cattlyst, or may be induced by radiation such as Xirays, gamma tays, electron beings, etc. Polymers may also be obtained by conducting physolic acid or chloroacetic held with or without a cutal, 4 under a variety of conditions. Good moldable objects or fibras are most readily obtained when the met, viscosity at 245° C. is about 400 to about 27,000 poises.

Polyhydroxyacetic extens have been dever bed in Urited States Patent 2,008,162. Love, "Frepare, on of High Molecular Weight Polyhydroxyacetic Extending Urited States Patent 2,676,345, Higgins, "Condensation Folymers

of Hydroxyacene Acid."

The processes described in the above two potents on be used for producine PGA from which proofters may be made. Additives such as triplemyliftes; here or S mostabilizers.

DEAWINGS

FIGURE 2 Company of Section 1 of the Character as the rice me doors which the transfer at the trans 1360.1.0

end that it is a second of the second of the

Hatri Hadamadam or Balan at a

an interest distance with expanded on the TIGO CIP 12 Stown a prosition of these formed of the result to proceed and the cip of the partiting ends to aid in holding a blood ves it would be

FIGURE 11 stows the stress of 1 IGURE 12 to a cita which an external spring clip of solid polyphyolic wild co-notify the ends of the flowt vessel contain.

FIGURE 14 stows the sleepe of FRAURE 12 For 5 th two expandable annular clips are read to haid the colds of the blood vessel approximated.

HOURE IS is a position of a woven tube of cost in 23 individual strands which are at length in part of cost in 23.

FIGURE 16 shows a portion of a heart value of proced in heart tissue usine a fabric in part compared at yelyplyoche acid to aid in holding the value in place.

HIGURE 17 shows a broken bone, the ends of which 40 are held together by a solid but of polyphytoric read held to the bone by polyplyco ic acid screes.

PIGURE 18 shows a broken bore, the cros of so the are held in position by an internal fixted pin of polyptycolic acid.

PGA for the construction of the prostinges aboun in the diancings can be produced as set forth in the following examples, in which parts are by weight, unless established clearly indicated:

FXAMPLE 1

100 parts of recrystallized plycolide (melting point 85.0 to 85.5° C.) are intimately mixed with 0.02 pert of methody acutic acid, 0.03 part of physodisulfile (Sun o-Nax), and 0.01 part antimony triduciale. Separate of its the mixture, deoxygenated by repeated evacuation and arron pureing, then scaled under vacuum and heated to 185 to 190° C. for 43's hours. On cooling a white egagus tough PGA is profused in a 97.5% yield with a me't viscosity at 245° C. of 5,000 points. The polymer is reheated and spun into iffamients at a temperature of about 230° C, at a speed of about 150 ceet per minute. Die Ma ments produced are cooled, then drawn at about 55° C. When drawn to five tieses the original length a strong tough filement is produced. The day filements are in con- 62 of PGAL dition for use.

EXAMPLE 2

The polymer of the proceeding one sple in formed line a pincular of smaller than talk, seven do a line of twisted into a polyill smoothery attend, which is not find and used following the techniques of lines profit.

Because it is a synthetic polymer of much in it is a formed in the control of the month of the control o

ing are goes reishile than in state of week is out by oncorries a dictiols.

in the servery to face a comen and a second of product the second of the 5 to 2 Tyre of a take made page

The property of the property of the property of the star property of the prope

Entrance the operant medical and confidence of the operant of the thin fifth a secretary to the first hard with 3 pers of the secretary to the secretary the secretary of the secretary fitters and the secretary fitters are secretary for the secretary fitters and the secretary fitters are secretary for the secretary fitters and the secretary fitters are secretary for the secretary fitters. pure processes on a week term mestability pure processes of specifically should be put of florid all could not be a the person book on the miles of the solution of the soluti purjed villy arrived. The first of Coverind death for a view user of arrived in a lamb, or Hip and the top as seried. He read that the replaced in a vertical position in a closed ghose character tenorphous which described pittonlate is reliased at 2221. C. The bound point of the directly planed are controlled by decerning the pressure of the everyon, 24 pr leadly intervals ofter melting, the viscosity of the relation no state is not outed by russing the steel bull by not now for magnetic of menoring the rate of the fall of the bottom section. Notify topology after the meltis first early asket, the ball drop to be is 330 secution or about 72(0) poors, and often 120 win neg the ball drep time is 500 second or about 7500 period.

The FGA thus produced is spun into .002 inch diameter their and cort to for a becomposent strands.

Additional PGA, significity produced is used to cost to Days in the rents, in verying weight tubes to form bi-component strands which are trickled into tobular after all implients to splice into sections of atteriors

Additional PGA, similarly produced is used to form sheets. These sheets are wrapped around nemes, traumotitables are each charged with approximately 20 grains of 65 cally severed, to protect such nerves from invasive sear tissee growth, while the nerve is regenerating.

Also the PGA to produced is fabricated into the prosthetiz devices thown in the drawings.

As is thown to the drawings, a bi-component filament 23 was formed by digging a nonabsorbable filaneous 24 of Durro's into a PGN melt forming a PGN ceating 22 on the surface of the non-absorbable Dacron 21.

over chain FIGURE I the dip was such that approxi-mately 25% of the cross section was of Ducron and 75%

In FIGURE 2 the structure is the same except that the

relative propositions are changed to approximately 50% of each materials.

In 3.4 To 2.7 S the resolution is the same except that the proportions are of a real nuclei that approximately 75% of the case of a real track that are constituted in the first case of the constitute of the case of the such as four five Sci

1/1/2 of the first control of longer is shown.
1/1/2 of the first control of longer is shown.
1/2/2 of the first control of the or one of a bole on position that the first control of the or one of the original o

11 La tata de C needs of the Bookin gerie fraien ar skriver de a Market Condition Const.

Tiguen Sale consultar with a 10 to be not decreased that the state of the best of the best of the state o which a second month with the financial sets of Charleston, and charging by 25% materials to produce a constant of M, 35 min the color set of the Tests of the Tests of the Sets of the Se

Such a construction promits the unit of Diction or Provided polycliphers or instruction following in the construction tion of a report poich such as shown as known expreption of in which ye dation from the factor of successful had subably nearrial to observe the new of several to be subably nearrial to observe the new of several to be such as the spreng terreen the three to in the degree on the elected of for a particular application, Usas y, if the providing di-vice is to be used for the term in of Linna is, a computer vely widely spaced weare is desired. It used for on crea in which fig. 'd recention is critical, such as an artery or vein,

the weave is much closer.

In FIGURE 9 is shown a knowed fabric 27, in which

In FIGURE 9 is shown a knowed fabric 37, in which the respective strands are 100 h remainstantie 21, in which the respective strands are 100 h remainstantie 21, rollowed by two rows of 75% non-12 rollowed by two rows of 75% non-2 rollowed by two rows of 50% non-2 rollowed 80% PriA 20, followed by two rows of 25% non-the original 75% 40. PGA 3L

In such a graded construction, the rate of change with distance or the number of rows of a particular composition are adjusted to fit the desired use, For so ster paidles the width of coch proportion of compensors is smaller 13 then for large potches.

In FIGURE 10 K shown on arresty 37 which is joined together our a tapeted end PGA take 38 which farms a stent about which the eads of the rate v well are joined by a sature of ice 39. The tagered end in asier to insert in 40 the array

In FICURE 11 the aftery walls 40 are joined toget ter over a fire. I end PGA tube 41 and the ends are mined by a sufere splice 42.

FIGURE 12 shows the flored end PGA tube 41.

In LIGURE 13 is shown a blood vessel 43, the ends of which are each separately placed over the end of a lated FGA who and which blood yourst is half in place of hithe en Is all coat to permit bealing by a FGA spring c in 44. PGA, such as praducta in the above Exemple 3, shows an 60 Read has not strength of 0.14 ft. 15, per inch with a or preater it may be heared and formed this a derived shape which shape is returned on couldny, and by shaping us a

which stope is retained on county, and by snapper and flat spairing clap, can be unit to that to discipling the walls of a block short 18 unit in the first to extrace takes place. In TIOUTHE 14 is of a national respect to the total country to the first time which the end are the forester by an an star clap 46 of a China place. So we are the country to the country an idlar clip 46 of in 2001 and Chalder and Copy are all beown for the library in a tent 2 day look to a display of an area of an attended in a finite control of the contr This is important to the conditional to the Cost of a control to the control that may of an ended and the total of the

Early and well fill a 30 cars. - 11 a 145

Alternative of the proposition of the Alternative And Alternative of the Alternative of t per \$7 in leaved a to the beneath most for the presidence of such support still a as to bit the follow in the foreand rive reality leaf through and prevent marian at the

Also all the spices or bore pinchola if a hore in place may built be care of our may to kind and the normal light dessolve, In the post, a stall ears, iforcing clearents best freevently been u.c.d. Soch metallic elements add acquaits the leady, and prolongs cause information by the riphyshalf est that must be removed at a separal es absequent operation. It is smally, if a bone pin is used interpolicy of bear, the comme of bare ratingly is myoully reduced. When the POAN being rim disselve), no scar tissue remains and home in traw is regenerated through if e home permitting the born marrow to accomplish its eigenic furctions.

The diarron is above are that it sive only or embodiment of the per cut intention in which various prosthetle dovices are incorporated into the human hady to aid anpoliced for mone of natural elements: From the above drawings and descriptions, it will be chipious to these skilled in the art that many other modifications may be adapted for porticular injuries or ills to which the fiesh is

The find an that polyphycolic acid, abbreviated PGA, is absorbailts in living tissue, and has marked mechanical strength, as a ther or solid, including speet, and bence can be a ed as an element in, or as, a surgical prosulesis, is most us e specied and unpredictable.

Catem, or regenerated collogia has in the past been user for tissue emplacement, but with collagen, as the collayen is absorbed, a fibrotic tract replaces the cullagen, to that in effect cour tissue remains at the site of the emplanted collegen for many years, in many instances for life. Some patients are officeje to collaren, PGA is not a protein, has no artico acids, and has given no esidence of altersic reactions in the usands of implants. With the present PGA providests, the PGA is completely absorbed, and a mount or no trice of the institled matter tentality after a companiacly short period. This complete at outton, without residual forestie rissue, is unique, and an important e intel uffen to surrery.

As this divious that experiention of such proofestic deslice in Frances must wait would amopsy, after Franc month comes, experimental results were consucted on his portray country which we has permit sacrifice and extra like and a lected periods. Fless are shown in the rgrettiii,p¹est

FXAMPLE 4

Abroglande intermeduliary red

Leading a little of the second of the separate second

. . . 1 500 Led at), and Line if align the concess which The control open we have the december of class in formation of the control open as the fill open as 315 Stainless

With 1 of the experimental and control. course of healing was more entitle. The birelis were essential of entral kindle follows. St. After soon is a till formers, and some of its financial interpretable effect of stone on the kindplants were converted. As expected in the relievely about those and the standard strell pin was court by a raret but since the internal space was largely excluding where the metallic pin was present, those was no marrial extissue.

Where the muluilary red of polythese so as a bad been

used, at six weeks the overall simulture of the rod was essentially unclamped but there were fitteres descriping on the turface and the cut ends which had been a copyly de-fined were computat registed. The red was segment at 40 softened on the surface. There was a property to increase in the second of the PGA soft will always but this confidences are associated with information of other adverse reacto's. By the 24th week the self of polygly folloacid was espentially digested and the bone now 45 if oned normal timue architectere.

EXAMPLE 5

At a stable hore plate affixed with absorbable plat

For art of the hind legs of ribbits were bijerted as de- 60 stribud in Example 4. The cut ends were transproximated and immobilitied by use of an internal support in the form a sixet of polyphoolic acid approximately \$1, their thick 14" wide and 1 inch long, shaped to conform generally to the boxe by toltening the plastic with licer and pre-molding is about a metal rad of suitable diameter. The premolded plate was centrally it rated over the cut bone and while held in position, small holer were drilled through the plute and complete through the hone with a He mach drill, two house on each did of the some break. 60 Small PGA rails about 11 finish large and 11 billy over Small PGA halfs about it inch for a and all hits over the inch in dismeter node by flattering red of this diameter by prinsing aptient a housed surface were driven threuch the boles in the PGA plate and accordance by through the lone to hold the place in place. The said of this explanation were returned to their copy, which was trained and the arimal, were returned to their copy, which was trained and the arimal, were returned to their copy, which was trained and the arimal were returned to their copy, which was the result of the said of the said and the first was a retended, the lags which half are considered to the region of the said and the copy of the said and the said PAN making was marinells or of Dynamics and break tions was harles in the PGA of the experiments

Prince 15 augmentations eng medikan tanan k Namatan maka dan k ACRES Son Bargelia Problem and Valva Coffice (a) 27 satisfied to the con-tion of tending the : 500 In this excepte where the arterial propheses were to

to establish the following section of the second of the second with two of the second to the second with two of the second to the second with two of the second by about 154 inches were plication the index of the abdomination. be used in rubbits, the boses were noty might in door her. and a sital between the champs was rejected and a compand le length of green eile tubing mode as desirified above was text in place. The clamps were removed, and the relimid was obcaved electly and blood scepage had stopt of. The abdower was then eleved and the artified retining to its case. Sier, ices were mide at the erit of 1, 3, 6, 12, and 18 weeks and the prolifetic implant and the slightering tisser was examined. After the first wink there has hit example in the produceds. The porcess, the fiber were closed with three and some new cell growth was national to the cut of the and some new cell growth was national to the cut of the first blood versel, the three works the fibrin class had been partially replaced by new cells a link represented the provided development of a provide in small information of the conditional versel. The polygicolar and filments were still institut but write showing in fact and of surface crossen on interoscopia examination. By 6 weeks the pseudo infinial lining was complete. Blood vewels were beginning to develop in it is more liver. Growin of cells was occurring through the pores of the proof erry which were now sufficient stanti By enlarged by the obscours domination in size of the LGA filterients which were no longer continuous. Should find of the PCA theoretic way evident but the complete descriptions of the perula intima presented the shood from entring the blood dream where they could represent fortifor elet formation. By the twelfth week the PGA was escentially replaced by tissue elements which 55 formed a well vascularized multicellular hayer completely conjuring the polyester illurarity of the prosthesis. The victure of 18 weeks was similar to that at 12 weeks with more valuablaritation or figure, for or panization of the cells of the inner living and order surface of the prouthesis. There was a conspicious above of any inflammatory response of abnormal tissue relection. The obserption of the polyphycolic acid gave su hele it space in the fiber network to permit adequate cell it with and proper yas estatization so that rectors of asser did not develop.

To fur as inspection pointly stream results appear to be obtained in Laname. Of course with humans, and I ther unimals proport or tely sized prostheses must be じかば.

We claim:

I. A surplied preschois come tishe non-absorable filenest to shoped as a none pair one reintereing element, and there is no near to the pair of the manufacturing of the entry in at least a port of the element, a structure convocing continuity of polytical control, whereby on in plants fiere can their decrease the decrease of texts of hiden to be, the polyphysical and structure is the state of the s